

MONODEC


A range of specialist repair, densifying and staining products to treat, strengthen and add colour and uniformity to concrete floor surfaces.


Monodec Polished Concrete Flooring

Transform an existing concrete slab into a stunning, easily cleaned, hardwearing and high performance surface using specialist grinding and polishing techniques designed to bring out the best in the concrete below.

The Monodec system uses diamond grinding techniques to remove the surface laitance and expose the natural aggregates used in the concrete mix. A number of specialist repair, densifying and staining products can then be used to treat the slab, strengthen the concrete and add colour and uniformity to the surface if required.

Polishing and grinding techniques are then employed to achieve a super flat, super glossy finish that is durable, easy to clean and maintain alongside offering clients a lifecycle cost that is typically 60% less than traditional floor coverings.





Monodec Grande Lux

A specialist treatment designed to deliver a high aesthetic finish from the existing concrete slab.

Euco QWIKstitch

A two-component urethane repair liquid that is used to mend cracks in concrete, spalled joints and damaged or uneven concrete surfaces. Its fast cure time makes quick work of repair jobs with floors that can be fully traffiked in less than one hour.

Vibra Stain SB

A special blend of dyes in solvent-soluble powder formulated to be mixed with acetone to create deeply penetrating vibrant semi-transparent color for concrete surfaces. Vibra-Stain SB is specially formulated for use when creating polished interior concrete surfaces.

Monodec Grande Lux showcases the natural beauty of the balast in the existing concrete slab with a super glossy, light-reflective finish that offers excellent chemical resistance and does not mark when subject to rubber-wheeled traffic.

Euco Diamond Hard

A unique blend of silicate and siliconate polymers that penetrate concrete surfaces and chemically react to increase surface density, durability and abrasion resistance. Concrete treated with Euco Diamond Hard is dust-proof, resists tyre marks and is easier to maintain.

UltraGuard

A water-based polymeric protectant that improves the appearance and durability of concrete floors. UltraGuard contains a powerful stain-resistant additive and is further enhanced with lithium silicate, which provides densification of the concrete surface.





Flowcrete

World leader in seamless resin flooring solutions and other specialist coatings.

Africa

South Africa +27 31 701 0017 southafrica@flowcrete.com

Asia Pacific (APAC)

| Australia | +61 7 3205 7115 | australia@flowcrete.com |
|-------------|------------------|---------------------------|
| Bangladesh | +88 02 985 7222 | bangladesh@flowcrete.com |
| Hong Kong | +852 2795 0478 | hongkong@flowcrete.com |
| ndonesia | +62 21 252 3201 | indonesia@flowcrete.com |
| Malaysia | +60 3 6277 9575 | asia@flowcrete.com |
| Pakistan | +60 3 6277 9575 | pakistan@flowcrete.com |
| Philippines | +63 2 834 6506 | philippines@flowcrete.com |
| Singapore | +60 3 6277 9575 | singapore@flowcrete.com |
| Taiwan | +60 3 6277 9575 | taiwan@flowcrete.com |
| Thailand | +66 2539 3424 | thailand@flowcrete.com |
| Vietnam | +84 28 6287 0846 | vietnam@flowcrete.com |

Europe & Middle East (EME)

| Bulgaria | +359 898 61 58 31 | bulgaria@flowcrete.com |
|----------|----------------------|------------------------|
| Denmark | +46 435 40 01 10 | denmark@flowcrete.com |
| France | +33 1 60 61 74 42 | france@flowcrete.com |
| Italy | +39 339 4853258 | italy@flowcrete.com |
| Norway | +47 6486 0830 | norway@flowcrete.com |
| Poland | +48 22 879 8907 | poland@flowcrete.com |
| Romania | +40 766 596 991 | romania@flowcrete.com |
| Russia | +7 916 931 3513 | russia@flowcrete.com |
| Spain | +34 937 07 0872 | spain@flowcrete.com |
| Sweden | +46 435 40 01 10 | sweden@flowcrete.com |
| Turkey | +90 212 2946570 | turkey@flowcrete.com |
| UAE | +971 4 886 4728 | uae@flowcrete.com |
| UK | +44 (0) 1270 753 000 | uk@flowcrete.com |
| | | |

India

India +91 44 40176600 india@flowcrete.com

North America

| Mexico | +55 44 40 94 00 | mexico@flowcrete.com |
|--------|-----------------|------------------------|
| USA | +1 513-943-4225 | americas@flowcrete.com |

^{*}Whilst every care has been taken to ensure that the information included in this document was accurate at the time of printing, Flowcrete reserves the right to change product specifications at any time without prior notice. The photographs and colours reproduced in this publication are within the constraints of the printing process and are not to be used for matching purposes. All photographs are used for approximate representation only and may not show the actual products on offer. E&OE.