Date Printed: 24/05/2019 Product: FLOWFLEX CONCRETE PRIMER



# Safety Data Sheet according to Regulation (EC) No. 2015/830

# SECTION 1: Identification of the Substance/Mixture and the Company/Undertaking

FLOWFLEX CONCRETE PRIMER **Revision Date:** 24/05/2019 **Product Identifier** 1.1

Supercedes Date: **New SDS** Flowflex Concrete Primer Product Name:

Relevant identified uses of the substance or mixture and uses

advised against

Professional use only. For use by appropriately trained applicators. Advised against:

Home DIY applications, because of the health hazards and training required.

1.3 Details of the supplier of the safety data sheet

> Flowcrete UK Ltd. Supplier:

The Flooring Technology Centre

**Booth Lane** 

Moston, Sandbach, Cheshire. UK

CW11 3QF

Tel: +44 (0)1270 753000 Fax: +44 (0)1270 753333 ehs.uk@flowcrete.com http://www.flowcrete.co.uk

**Datasheet Produced by:** 

ehs.uk@flowcrete.com

1.4 Emergency telephone number: CHEMTREC +001 703 5273887 (Outside US) CHEMTREC 1-800-424-9300 (Inside US)

# **SECTION 2: Hazard Identification**

#### 2.1 Classification of the substance or mixture

Classification according to Classification, Labeling & Packaging Regulation (EC) 1272/2008

#### HAZARD STATEMENTS

H226 Flammable Liquid, category 3 H336 STOT, single exposure, category 3, NE Reproductive Toxicity, category 2 H361

#### Label elements 2.2

Date Printed: 24/05/2019

#### Symbol(s) of Product







## Signal Word

Warning

#### Named Chemicals on Label

1-Methoxy-2-propanol, Toluene, Bis[[2,2',2"-nitrilotris[ethanolato]](1-)-N,O]bis(propan-2-olato)titanium

H226

#### HAZARD STATEMENTS

Flammable Liquid, category 3

STOT, single exposure, category 3, NE	H336	May cause drowsiness or dizziness.
Reproductive Toxicity, category 2	H361	Suspected of damaging fertility or the unborn child.
PRECAUTION PHRASES		
	P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
	P263	Avoid contact during pregnancy/while nursing.
	P281	Use personal protective equipment as required.

P284 Wear respiratory protection. IF exposed or concerned: Get medical advice/attention. P308+313

P370+378 In case of fire: Use C02, powder or water spray for

Flammable liquid and vapour.

Store in a well-ventilated place. Keep container tightly P403+233

closed.

P403+P235 Store in a well-ventilated place. Keep cool.

#### Other hazards 2.3

No Information

#### Results of PBT and vPvB assessment:

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

# **SECTION 3: Composition/Information On Ingredients**

#### 3.2 **Mixtures**

## **Hazardous Ingredients**

CAS-No.	EINEC No.	Name According to EEC	<u>%</u>
107-98-2	203-539-1	1-Methoxy-2-propanol	75-100
108-88-3	203-625-9	Toluene	2.5 - <10
36673-16-2		Bis[[2,2',2"-nitrilotris[ethanolato]](1-)-N,O]bis (propan-2-olato)titanium	1.0 - <2.5

CAS-No. **CLP Symbols CLP Hazard Statements** REACH Reg No. **M-Factors** 

01-2119457435-35 GHS02-GHS07 H226-336 107-98-2

108-88-3 01-2119471310-51 GHS02-GHS07-GHS08 H225-304-315-336-361-373

36673-16-2 **GHS02-GHS07** H225-319-336

Additional Information: The text for CLP Hazard Statements shown above (if any) is given in Section 16.

#### **SECTION 4: First-aid Measures**

#### 4.1 **Description of First Aid Measures**

GENERAL NOTES: When symptoms persist or in all cases of doubt seek medical advice. Show this safety data sheet to the

doctor in attendance. Remove contaminated clothing and shoes.

**AFTER INHALATION:** Move to fresh air. Keep respiratory tract clear. Remove person to fresh air. If signs/symptoms continue, get medical attention.

AFTER SKIN CONTACT: Use a mild soap if available. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician. Do NOT use solvents or thinners.

AFTER EYE CONTACT: Keep eye wide open while rinsing. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, consult a specialist.

AFTER INGESTION: Gently wipe or rinse the inside of the mouth with water. If symptoms persist, call a physician or Poison Control Centre immediately. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.

#### Self protection of the first aider:

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

#### 4.2 Most important symptoms and effects, both acute and delayed

No Information

#### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

# SECTION 5: Fire-fighting Measures

#### 5.1 Extinguishing Media:

Carbon Dioxide, Dry Chemical, Foam, Water Fog

**FOR SAFETY REASONS NOT TO BE USED:** Alcohol, Alcohol based solutions, any other media not listed above. Do not use a solid water stream as it may scatter and spread fire.

#### 5.2 Special hazards arising from the substance or mixture

In use, may form flammable/explosive vapour-air mixture.

#### 5.3 Advice for firefighters

Keep containers and surroundings cool with water spray. Fire will produce dense black smoke containing hazardous combustion products (see section 10). Flash back possible over considerable distance. In the event of fire, wear self-contained breathing apparatus. Water mistDry powderFoamCarbon dioxide (CO2). Do not use a solid water stream as it may scatter and spread fire. Hazardous decomposition products formed under fire conditions. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

## **SECTION 6: Accidental Release Measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment. Keep people away from and upwind of spill/leak. Remove all sources of ignition.

## 6.2 Environmental precautions

Do not allow material to contaminate ground water system. Prevent product from entering drains.

#### 6.3 Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13). Ventilate the area. Refer to protective measures listed in sections 7 and 8.

#### 6.4 Reference to other sections

**FURTHER INSTRUCTIONS:** Please refer to EU disposal requirements or country specific disposal requirements for this material. See Section 13 for further information.

# **SECTION 7: Handling and Storage**

#### 7.1 Precautions for safe handling

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Take measures to prevent the build up of electrostatic charge. Vapours may form explosive mixtures with air. Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits. Electrical equipment should be protected to the appropriate standard. Provide exhaust ventilation close to floor level. As a rule, at least 10 air changes per hour are recommended at the workplace. Wear personal protective equipment. Open drum carefully as content may be under pressure. Use only in well-ventilated areas. Keep product and empty container away from heat and sources of ignition. Use only explosion-proof equipment. Have fire extinguishers ready before opening the drum. Do not use sparking tools.

Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization of susceptible persons. In the case of sensitisation to any of the ingredients, it is inadvisable to work with the product. Handle in accordance with good industrial hygiene and safety practice. Keep working clothes separately. Keep away from food, drink and animal feeding stuffs. Keep away from food, drink and animal feeding stuffs. When using, do not eat, drink or smoke. Wash hands and face before breaks and immediately after handling the product. Handle in accordance with good industrial hygiene and safety practice for diagnostics.

#### 7.2 Conditions for safe storage, including any incompatibilities

**CONDITIONS TO AVOID:** Avoid temperatures above 40 °C, direct sunlight and contact with sources of heat. Heat, flames and sparks. Direct sources of heat. Strong sunlight for prolonged periods.

**STORAGE CONDITIONS:** Store in original container. Store at room temperature in the original container. Keep in an area equipped with solvent resistant flooring. Keep locked up or in an area accessible only to qualified or authorised persons. Keep container closed when not in use. Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.

#### 7.3 Specific end use(s)

No specific advice for end use available.

## **SECTION 8: Exposure Controls/Personal Protection**

#### 8.1 Control parameters

# Ingredients with Occupational Exposure Limits (UK WELS)

<u>Name</u>	CAS-No.	LTEL ppm	STEL ppm	STEL mg/m3	LTEL mg/m3
1-Methoxy-2-propanol	107-98-2	100	150	560	375
Toluene	108-88-3	50	100	384	191
Bis[[2,2',2"-nitrilotris[ethanolato]](1-)-N,O]bis36673-16-2 (propan-2-olato)titanium					

Name	CAS-No.	OEL Note
1-Methoxy-2-propanol	107-98-2	Can be absorbed through the skin.
Toluene	108-88-3	Can be absorbed through the skin.
Bis[[2,2',2"-nitrilotris[ethanolato]](1-)-N,O]bis(propan-2-olato)titanium	36673-16-2	

**FURTHER ADVICE:** Refer to the regulatory exposure limits for the workforce enforced in each country. Some components may not have been classified under the EU CLP Regulation.

#### 8.2 Exposure controls

#### **Personal Protection**

**RESPIRATORY PROTECTION:** Vapours are heavier than air and can cause suffocation by reducing oxygen available for breathing. In case of insufficient ventilation wear suitable respiratory equipment. Respirator with filter for organic vapor. **EYE PROTECTION:** Eye wash bottle with pure water. Safety goggles. Tightly fitting safety goggles. Safety glasses with side-shields conforming to EN 166.

HAND PROTECTION: Solvent-resistant gloves. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). Follow the skin protection plan. Long sleeved clothing. Remove and wash contaminated clothing before re-use. Flame retardant antistatic protective clothingProtective suit. Remove contaminated clothing and protective equipment before entering eating areas.

**OTHER PROTECTIVE EQUIPMENT:** No Information

**ENGINEERING CONTROLS:** As a rule, at least 10 air changes per hour are recommended at the workplace. Avoid contact with skin, eyes and clothing. Maintain air concentrations below occupational exposure standards. If these are not sufficient to

maintain concentrations of particulates and solvent vapour below the OEL, suitable respiratory protection must be worn. Ensure adequate ventilation, especially in confined areas.

#### **Chemical Name:**

EC No.: CAS-No.:

#### **DNELs - Derived no effect level**

	Workers			Consumers				
Route of	Acute effect	Acute effects	Chronic	Chronic effects	Acute effect	Acute effects	Chronic	Chronic effects
Exposure	local	systemic	effects local	systemic	local	systemic	effects local	systemic
Oral	Not required							
Inhalation								
Dermal								

#### PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	
Fresh water sediments	
Marine water	
Marine sediments	
Food chain	
Microorganisms in sewage treatment	
soil (agricultural)	
Air	

# **SECTION 9: Physical and Chemical Properties**

9.1 Information on basic physical and chemical properties

**Appearance:** Fluid - Colourless

Physical State Liquid

Odor Characteristic
Odor threshold Not determined
pH Not determined
Melting point / freezing point (°C) Not determined

Boiling point/range (°C) 83 - N.D.

Flash Point, (°C) 28

Evaporation rate Not determined
Flammability (solid, gas) Not determined

Upper/lower flammability or explosive

limits

Oxidising properties

Not determined

Vapour Pressure Not determined

Vapour density 0.93 g/m3

Relative density Not determined

Solubility in / Miscibility with water Not miscible or difficult to mix.

Partition coefficient: n-octanol/water Not determined

Auto-ignition temperature (°C) 270

Decomposition temperature (°C) Not determined

Viscosity 5 mPas

**Explosive properties** Product is not explosive. However, formation of explosive air/vapour mixtures

Not determined

Product: FLOWFLEX CONCRETE PRIMER

#### 9.2 Other information

Date Printed: 24/05/2019

VOC Content g/l:

Not determined

This is a calculated maximum VOC content for the mixed ready to use product (to Directive 2004/42/EC).

# **SECTION 10: Stability and Reactivity**

#### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

#### 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

Reacts with oxidising agents.

#### 10.4 Conditions to avoid

Avoid temperatures above 40 °C, direct sunlight and contact with sources of heat. Heat, flames and sparks. Direct sources of heat. Strong sunlight for prolonged periods.

#### 10.5 Incompatible materials

Do not store together with oxidizing and self-igniting products. Keep away from oxidising agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

#### 10.6 Hazardous decomposition products

In case of fire **hazardous decomposition products** may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). No dangerous reaction known under conditions of normal use. nitrogen oxides (NOx)

# **SECTION 11: Toxicological Information**

#### 11.1 Information on toxicological effects

**Acute Toxicity:** 

Oral LD50: No information available.

Inhalation LC50: No information available.

Irritation: No information available.

Corrosivity: No information available.

Sensitization: No information available.

Repeated dose toxicity: No information available.

Carcinogenicity: No information available.

**Mutagenicity:** No information available.

**Toxicity for reproduction:** No information available.

STOT-single exposure: No information available.

STOT-repeated exposure: No information available.

Aspiration hazard: No information available.

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

Date Printed: 24/05/2019 Oral LD50 **Dermal LD50** CAS-No. Name According to EEC Vapor LC50 Gas LC50 **Dust/Mist LC50** 

>13000 mg/kg 107-98-2 1-Methoxy-2-propanol 5180 mg/kg (rat) 0.000 0.000 (rabbit)

14000 mg/kg 8000 ppm, 4 hrs, 108-88-3 0.000 0.000 Toluene 5000 mg/kg (rat) (rabbit) (rat)

#### Additional Information:

In the case of sensitisation to any of the ingredients, it is inadvisable to work with the product. Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization of susceptible persons.

# **SECTION 12: Ecological Information**

#### 12.1 Toxicity:

EC50 48hr (Daphnia): No information IC50 72hr (Algae): No information LC50 96hr (fish): No information 12.2 Persistence and degradability: No information

12.3 Bioaccumulative potential: No information

Mobility in soil: No information 12.4

12.5 Results of PBT and vPvB

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

assessment:

12.6 Other adverse effects: No information

Name According to EEC EC50 48hr IC50 72hr LC50 96hr CAS-No. 107-98-2 1-Methoxy-2-propanol 23300 mg/l No information 6812 mg/l 108-88-3 Toluene 84mg/l No information 5.5 mg/l

# **SECTION 13: Disposal Considerations**

WASTE TREATMENT METHODS: Do not burn, or use a cutting torch on, the empty drum. Dispose of as hazardous waste in compliance with local and national regulations. Container hazardous when empty. Empty containers should be taken to an approved waste handling site for recycling or disposal. The product should not be allowed to enter drains, water courses or the soil.

080409 **European Waste Code:** 150110 Packaging Waste Code:

# **SECTION 14: Transport Information**

14.1 UN number UN1133

14.2 UN proper shipping name ADHESIVES, special provision 640E

Not applicable **Technical name** 

14.3 Transport hazard class(es)

Not applicable Subsidiary shipping hazard

14.4 Packing group Ш

Not applicable 14.5 Environmental hazards 14.6 Special precautions for user Not applicable EmS-No.: F-E, S-D

Transport in bulk according to Annex II 14.7 Not applicable of MARPOL 73/78 and the IBC code

## **SECTION 15: Regulatory Information**

# 15.1 Safety, health and environmental regulations/legislation for the substance or mixture:

#### **National Regulations:**

Denmark Product Registration Number: Not available

Danish MAL Code: Not available

Danish MAL Code - Mixture: Not available

Sweden Product Registration Number: Not available

Norway Product Registration Number: Not available

Germany WGK Class: Not available

Covered by Directive 2012/18/EC (Seveso III): Not applicable

Restrictions to product or to substances according

to Annex XVII, Regulation (CE) 1907/2006: Not applicable

# **Annex XIV - Authorisation List:**

CAS-No. Name According to EEC

Not Applicable

SVHC - Substances of very high concern (Candidate List):

CAS-No. Name According to EEC

Not Applicable

#### 15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

# SECTION 16: Other Information

## Text for CLP Hazard Statements shown in Section 3 describing each ingredient:

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H361	Suspected of damaging fertility or the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.

#### Reasons for revision

This Safety Data Sheet (SDS) has been revised to meet the new EU CLP requirements. There have been both formatting and content changes based on the CLP classification (if applicable), please review each section of the SDS for specific changes.

List of References:

This Safety Data Sheet was compiled with data and information from the following sources:

The Ariel Regulatory Database provided by the 3E Corporation in Copenhagen, Denmark;

European Union Commission Regulation No. 1907/2006 on REACH as amended within Commission Regulation (EU) 2015/830;

European Union (EC) Regulation No. 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP Regulation) and subsequent technical progress adaptations (ATP); EU Council Decision 2000/532/EC and its Annex entitled "List of Wastes".

#### Acronym & Abbreviation Key:

CLP Classification, Labeling & Packaging Regulation

EC European Commission
EU European Union
US United States

CAS Chemical Abstract Service

EINECS European Inventory of Existing Chemical Substances

REACH Registration, Evaluation, Authorization of Chemicals Regulation

GHS Globally Harmonized System of Classification and Labeling of Chemicals

LTEL Long term exposure limit
STEL Short term exposure limit
OEL Occupational exposure limit

ppm Parts per million

mg/m3 Milligrams per cubic meter TLV Threshold Limit Value

ACGIH American Conference of Governmental Industrial Hygienists

OSHA Occupational Safety & Health Administration

PEL Permissible Exposure Limits
VOC Volatile organic compounds

g/l Grams per liter

mg/kg Milligrams per kilogram

N/A Not applicable LD50 Lethal dose at 50%

LC50 Lethal concentration at 50%

EC50 Half maximal effective concentration

IC50 Half maximal inhibitory concentration

PBT Persistent bioaccumulative toxic chemical

vPvB Very persistent and very bioaccumulative

EEC European Economic Community

ADR International Transport of Dangerous Goods by Road RID International Transport of Dangerous Goods by Rail

UN United Nations

IMDG International Maritime Dangerous Goods Code
IATA International Air Transport Association

MARPOL International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978

IBC International Bulk Container RTI Respiratory Tract Irritation

NE Narcotic Effects

For further information, please contact: Technical Services Department

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product or where instructions and recommendations are not followed.