

Declaration of Performance

According Annex III of the Regulation (EU) No 305/2011
Amended by Commissions delegated Regulation (EU) No 574/2014

No: [FL-00003](#)

For the system build-up: **Flowfast BC UNI** consisting of:

Primer: [Flowfast 101 Standard Primer](#), [Flowfast 107 Ceramic-Metal Primer](#),
[Flowfast 108 Damp Primer](#), natural quartz

Main layer: [Flowfast 205 Standard Binder+SNL Filler](#), natural quartz scatter

Topcoat: [Flowfast 304 Standard Seal \(pigmented\)](#), [Flowfast 305 Standard Seal LV \(pigmented\)](#) or [Flowfast 319 Flexible Seal \(pigmented\)](#)

as described in our technical datasheets and application instruction guide.

1. Unique identification code of the product type:

[Flowfast BC UNI](#)

2. Intended use/es:

Synthetic resin screed for indoor use

3. Manufacturer:

[Alteco Technik GmbH](#)
[Raiffeisenstrasse 16, D-27239 Twistringen](#)
[Germany](#)

4. System/s of AVCP

[System 4](#)
[System 3 \(Reaction to Fire\)](#)

5. A) Harmonised standard

EN13813:2002

B) Notified body

CE **N/A**

UKCA **N/A**

6. Declared performance/s for **Flowfast BC UNI**

Essential characteristics	Performance	Harmonized technical specification
Release of corrosive substances	SR	EN 13813:2002
Wear resistance	AR0.5	
Impact resistance	IR4	
Bond strength	B2.0	
Reaction to fire	C _{fl} -s1	

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued in accordance with Regulation (Eu) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed on behalf of the manufacturer by:

Maik Blohm

At **Alteco Technik GmbH, Twistringen**

on **15.10.2021**

i.V. 
(authorised signature)

CE-marking

CE	
Alteco Technik GmbH Raiffeisenstrasse 16, D-27239 Twistringen Germany	
21	
DoP no FL-00003	
EN 13813: 2002	
Synthetic resin screed for indoor use	
Release of corrosive substances	SR
Abrasion resistance (BCA test)	AR0.5
Impact resistance	IR4
Bond strength	B2.0
Reaction to fire	C _{fi} -s1

UKCA-marking

UK CA	
Alteco Technik GmbH Raiffeisenstrasse 16, D-27239 Twistringen Germany	
21	
DoP no FL-00003	
EN 13813: 2002	
Synthetic resin screed for indoor use	
Release of corrosive substances	SR
Abrasion resistance (BCA test)	AR0.5
Impact resistance	IR4
Bond strength	B2.0
Reaction to fire	C _{fi} -s1