

Safety Data Sheet according to Regulation (EC) No 2015/830



**Construction
Products Group**
Europe



SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product Identifier	PERAN WW HARDENER B	Revision Date:	30/09/2022
Product Name:	Peran WW Hardener B	Supersedes Date:	10/03/2022
UFI Code:	92C2-N0QU-K00T-RJ4D		
1.2 Relevant identified uses of the substance or mixture and uses advised against	Coatings and paints, thinners, paint removers. Manual activities involving hand contact. Widespread use leading to inclusion into/onto article (indoor). For use by appropriately trained applicators. Roller application or brushing. Low energy spreading of coatings. Advised against: Home DIY applications, because of the health hazards and training required.		
1.3 Details of the supplier of the safety data sheet	<p>Manufacturer: Tremco CPG Poland Sp. z o. o. Ul. Marywilska 34 03-228 Warszawa Polska</p> <p>Tel: +48 22 879 8907 Fax: +48 22 879 8918 ehs.uk@flowcrete.com www.flowcrete.com.pl/</p> <p>Datasheet Produced by: ehs.uk@flowcrete.com</p>		
1.4 Emergency telephone number:	CHEMTREC +1 703 5273887 (Outside US)		
	Giftinformasjonen: +47 22 59 13 00		

SECTION 2: Hazard Identification

2.1 Classification of the substance or mixture

Classification according to Classification, Labeling & Packaging Regulation (EC) 1272/2008

HAZARD STATEMENTS

Skin Corrosion, category 1

H314-1

Skin Sensitizer, category 1

H317

2.2 Label elements**Symbol(s) of Product****Signal Word**

Danger

Named Chemicals on Label

3-Aminomethyl-3,5,5-trimethylcyclohexylamine, Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia., 3-[(6-Aminotrimethylhexyl)amino]propionitrile

HAZARD STATEMENTS

Skin Corrosion, category 1	H314-1	Causes severe skin burns and eye damage.
Skin Sensitizer, category 1	H317	May cause an allergic skin reaction.

PRECAUTION PHRASES

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P264	Wash hands thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301+330+331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P302+352	IF ON SKIN: Wash with plenty of soap and water.
P304+340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.
P333+313	If skin irritation or rash occurs: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.

2.3 Other hazards

No Information

Results of PBT and vPvB assessment:

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

Endocrine disrupting properties - Toxicity**Name According to EEC****CAS-No.**

Based on the available data, the product does not contain substances identified as having endocrine disrupting properties according to Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 in concentration of 0,1% or higher.

Endocrine disrupting properties - Ecotoxicity**Name According to EEC****CAS-No.**

Based on the available data, the product does not contain substances identified as having endocrine disrupting properties according to Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 in concentration of 0,1% or higher.

SECTION 3: Composition/Information On Ingredients
--

3.2 Mixtures**Hazardous ingredients**

<u>Name According to EEC</u>	<u>%</u>	<u>Classifications</u>	<u>SCL Value:</u>
Titanium dioxide			
<u>EINEC No.</u>	236-675-5		
<u>CAS-No.</u>	13463-67-7	25 - <50	<u>ATE Value:</u>
<u>REACH Reg No.</u>	01-2119489379-17		<u>M-Factor:</u>

Reaction products of di-, tri- and tetra-

<u>EINEC No.</u>	618-561-0	2.5 - <10	H314-412	Aquatic Chronic 3, Skin Corr. 1C	<u>SCL Value:</u>
<u>CAS-No.</u>	9046-10-0				<u>ATE Value:</u>
<u>REACH Reg No.</u>	01-2119557899-12				<u>M-Factor:</u>

3-[(6-Aminotrimethylhexyl)amino]

<u>EINEC No.</u>	300-511-1	2.5 - <10	H302-314-317	Acute Tox. 4 Oral, Skin Corr. 1, Skin Sens. 1	<u>SCL Value:</u>
<u>CAS-No.</u>	93941-62-9				<u>ATE Value:</u>
<u>REACH Reg No.</u>	No Information				<u>M-Factor:</u>

Kaolin

<u>EINEC No.</u>	310-194-1				<u>SCL Value:</u>
<u>CAS-No.</u>	1332-58-7	2.5 - <10			<u>ATE Value:</u>
<u>REACH Reg No.</u>	No Information				<u>M-Factor:</u>

3-Aminomethyl-3,5,5-

<u>EINEC No.</u>	220-666-8				<u>SCL Value:</u>
<u>CAS-No.</u>	2855-13-2	2.5 - <10	H302-312-314-317-412	Acute Tox. 4 Dermal, Acute Tox. 4 Oral, Aquatic Chronic 3, Skin Corr. 1B, Skin Sens. 1	<u>ATE Value:</u>
<u>REACH Reg No.</u>	01-2119514687-32				<u>M-Factor:</u>

Distillates (petroleum), solvent-refined heavy

EINEC No.	265-090-8				SCL Value:
CAS-No.	64741-88-4	0.1 - <1.0			ATE Value:
REACH Reg No.	01-2119488706-23				M-Factor:

Amines, tallow alkyl, ethoxylated

EINEC No.	-				SCL Value:
CAS-No.	61791-26-2	0.1 - <1.0	H302-315-318-411	Acute Tox. 4 Oral, Aquatic Chronic 2, Eye Dam. 1, Skin Irrit. 2	ATE Value:
REACH Reg No.	Exempt				M-Factor:

2,4,7,9-Tetramethyldec-5-yne-4,7-diol,

EINEC No.	500-022-5				SCL Value:
CAS-No.	9014-85-1	<0.1	H318-412	Aquatic Chronic 3, Eye Dam. 1	ATE Value:
REACH Reg No.	01-2119954393-33				M-Factor:

2,4,7,9-Tetramethyldec-5-yne-4,7-diol

EINEC No.	204-809-1				SCL Value:
CAS-No.	126-86-3	<0.1	H317-318-412	Aquatic Chronic 3, Eye Dam. 1, Skin Sens. 1	ATE Value:
REACH Reg No.	01-2119954390-39				M-Factor:

EINEC No. 248-326-4

CAS-No.	27213-90-7	<0.1			SCL Value:
REACH Reg No.	01-2119985166-27				ATE Value:
					M-Factor:

3-Iodo-2-propynylbutylcarbamate

EINEC No.	259-627-5				SCL Value:
CAS-No.	55406-53-6	<0.1	H312-318-332-400	Acute Tox. 4 Dermal, Acute Tox. 4 Inhalation, Aquatic Acute 1, Eye Dam. 1	ATE Value:
REACH Reg No.	-				M-Factor:

1,2-benzisothiazol-3(2H)-one

EINEC No. 220-120-9**CAS-No.** 2634-33-5

<0.1

H302-315-317-318-400

Acute Tox. 4 Oral,
Aquatic Acute 1, Eye
Dam. 1, Skin Irrit. 2,
Skin Sens. 1**SCL Value:****ATE Value:****M-Factor:****REACH Reg No.** No Information**Remarks:** No Information**Additional Information:** The text for CLP Hazard Statements shown above (if any) is given in Section 16.**SECTION 4: First-aid Measures****4.1 Description of First Aid Measures**

GENERAL NOTES: When symptoms persist or in all cases of doubt seek medical advice. Show this safety data sheet to the doctor in attendance. Risk of product entering the lungs on vomiting after ingestion. Remove contaminated clothing and shoes.

AFTER INHALATION: Move to fresh air. Consult a physician after significant exposure. Keep respiratory tract clear. Remove person to fresh air. If signs/symptoms continue, get medical attention.

AFTER SKIN CONTACT: Use a mild soap if available. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.

AFTER EYE CONTACT: Keep eye wide open while rinsing. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. If eye irritation persists, consult a specialist.

AFTER INGESTION: Gently wipe or rinse the inside of the mouth with water. Do NOT induce vomiting. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. If swallowed, seek medical advice immediately and show this container or label.

Self protection of the first aider:

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

No Information

4.3 Indication of any immediate medical attention and special treatment needed

Immediate medical attention is required. No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting Measures**5.1 Extinguishing Media:**

Carbon Dioxide, Dry Chemical, Foam, Water Fog

FOR SAFETY REASONS NOT TO BE USED: Alcohol, Alcohol based solutions, any other media not listed above.**5.2 Special hazards arising from the substance or mixture**

No Information

5.3 Advice for firefighters

Keep containers and surroundings cool with water spray. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Fire will produce dense black smoke containing hazardous combustion products (see section 10). In the event of fire, wear self-contained breathing apparatus. High volume water jet. Hazardous decomposition products formed under fire conditions. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

SECTION 6: Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

Ensure adequate ventilation. Use personal protective equipment. Keep people away from and upwind of spill/leak.

6.1.2 For emergency responders

Ensure adequate ventilation. Use personal protective equipment. Keep people away from and upwind of spill/leak.

No Information

6.2 Environmental precautions

Do not allow material to contaminate ground water system. Prevent product from entering drains. May cause long-term adverse effects in the aquatic environment.

6.3 Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13). Refer to protective measures listed in sections 7 and 8.

6.4 Reference to other sections

FURTHER INSTRUCTIONS: Please refer to EU disposal requirements or country specific disposal requirements for this material. See Section 13 for further information.

SECTION 7: Handling and Storage

7.1 Precautions for safe handling

Use only in area provided with appropriate exhaust ventilation. Wear personal protective equipment. Use only in well-ventilated areas. Do not breathe vapours or spray mist.

Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization of susceptible persons. In the case of sensitisation to any of the ingredients, it is inadvisable to work with the product. Handle in accordance with good industrial hygiene and safety practice. Keep working clothes separately. Keep away from food, drink and animal feedingstuffs. Wash hands before breaks and at the end of workday. When using, do not eat, drink or smoke. Wash hands and face before breaks and immediately after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

CONDITIONS TO AVOID: Avoid temperatures above 40 °C, direct sunlight and contact with sources of heat. Direct sources of heat. Do not freeze.

STORAGE CONDITIONS: Do not freeze. Store in original container. Store at room temperature in the original container. Keep locked up or in an area accessible only to qualified or authorised persons. Keep container closed when not in use. Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.

7.3 Specific end use(s)

Component of a resin flooring product. The mixing and application to be in accordance with the technical data sheets.

SECTION 8: Exposure Controls/Personal Protection

8.1 Control parameters

Ingredients with Occupational Exposure Limits (UK WELS)

Name	CAS-No.	LTEL ppm	STEL ppm	STEL mg/m3	LTEL mg/m3
Titanium dioxide	13463-67-7				4 10
Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia.	9046-10-0				
3-[(6-Aminotrimethylhexyl)amino] propionitrile	93941-62-9				
Kaolin	1332-58-7				2
3-Aminomethyl-3,5,5-trimethylcyclohexylamine	2855-13-2				

Distillates (petroleum), solvent-refined heavy paraffinic (<3 % DMSO)	64741-88-4
Amines, tallow alkyl, ethoxylated	61791-26-2
2,4,7,9-Tetramethyldec-5-yne-4,7-diol, ethoxylated	9014-85-1
2,4,7,9-Tetramethyldec-5-yne-4,7-diol	126-86-3
	27213-90-7
3-Iodo-2-propynylbutylcarbamate	55406-53-6
1,2-benzisothiazol-3(2H)-one	2634-33-5

<u>Name</u>	<u>CAS-No.</u>	<u>OEL Note</u>
Titanium dioxide	13463-67-7	
Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia.	9046-10-0	
3-[(6-Aminotrimethylhexyl)amino] propionitrile	93941-62-9	
Kaolin	1332-58-7	
3-Aminomethyl-3,5,5-trimethylcyclohexylamine	2855-13-2	
Distillates (petroleum), solvent-refined heavy paraffinic (<3 % DMSO)	64741-88-4	
Amines, tallow alkyl, ethoxylated	61791-26-2	
2,4,7,9-Tetramethyldec-5-yne-4,7-diol, ethoxylated	9014-85-1	
2,4,7,9-Tetramethyldec-5-yne-4,7-diol	126-86-3	
	27213-90-7	
3-Iodo-2-propynylbutylcarbamate	55406-53-6	
1,2-benzisothiazol-3(2H)-one	2634-33-5	

FURTHER ADVICE: Refer to the regulatory exposure limits for the workforce enforced in each country. Some components may not have been classified under the EU CLP Regulation.

8.2 Exposure controls

Personal Protection

RESPIRATORY PROTECTION: In case of insufficient ventilation wear suitable respiratory equipment. Respirator with filter for organic vapor.

EYE PROTECTION: Eye wash bottle with pure water. Tightly fitting safety goggles. Face-shield.

HAND PROTECTION: Impervious gloves. Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). Long sleeved clothing. Remove and wash contaminated clothing before re-use. Rubber or plastic apron.

OTHER PROTECTIVE EQUIPMENT: No Information

ENGINEERING CONTROLS: As a rule, at least 5 air changes per hour are recommended at the workplace. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas.

Chemical Name:

Titanium dioxide

EC No.:

236-675-5

CAS-No.:

13463-67-7

DNELs - Derived no effect level

Route of Exposure	Workers				Consumers			
	Acute effect local	Acute effects systemic	Chronic effects local	Chronic effects systemic	Acute effect local	Acute effects systemic	Chronic effects local	Chronic effects systemic
Oral	Not required							700 mg/kg/d
Inhalation			10					
Dermal								

PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	0.127
Fresh water sediments	1000
Marine water	1
Marine sediments	100
Food chain	1667
Microorganisms in sewage treatment soil (agricultural)	100 mg/l
Air	100

Chemical Name:

Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia.

EC No.:

618-561-0

CAS-No.:

9046-10-0

DNELs - Derived no effect level

Route of Exposure	Workers				Consumers			
	Acute effect local	Acute effects systemic	Chronic effects local	Chronic effects systemic	Acute effect local	Acute effects systemic	Chronic effects local	Chronic effects systemic
Oral	Not required							
Inhalation				1.36 mg/m3				
Dermal				2.5 mg/kg				

PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	0.015 mg/l
Fresh water sediments	0.132
Marine water	0.014 mg/l
Marine sediments	0.125
Food chain	
Microorganisms in sewage treatment soil (agricultural)	7.5 mg/l
Air	0.0176
	-

Chemical Name:

3-Aminomethyl-3,5,5-trimethylcyclohexylamine

EC No.:

220-666-8

CAS-No.:

2855-13-2

DNELs - Derived no effect level

Route of Exposure	Workers				Consumers			
	Acute effect local	Acute effects systemic	Chronic effects local	Chronic effects systemic	Acute effect local	Acute effects systemic	Chronic effects local	Chronic effects systemic
Oral	Not required							0.526 mg/kg bw/d
Inhalation	0.073 mg/m ³		0.073 mg/m ³					
Dermal								

PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	0.06 mg/l
Fresh water sediments	5.784 mg/kg (sediment dw)
Marine water	0.006 mg/l
Marine sediments	0.578 mg/kg (sediment dw)
Food chain	Not expected to be bioaccumulative.
Microorganisms in sewage treatment	3.18 mg/l
soil (agricultural)	1.121 mg/kg (soil dw)
Air	

Chemical Name:

2,4,7,9-Tetramethyldec-5-yne-4,7-diol

EC No.:

204-809-1

CAS-No.:

126-86-3

DNELs - Derived no effect level

Route of Exposure	Workers				Consumers			
	Acute effect local	Acute effects systemic	Chronic effects local	Chronic effects systemic	Acute effect local	Acute effects systemic	Chronic effects local	Chronic effects systemic
Oral	Not required					0.75 mg/kg bw/d		0.25 mg/kg bw/d
Inhalation		5.28 mg/m ³		1.76 mg/m ³		1.29 mg/m ³		0.43 mg/m ³
Dermal		1.5 mg/kg bw/d		0.5 mg/kg bw/d		0.75 mg/kg bw/d		0.25 mg/kg bw/d

PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	0.04 mg/l
Fresh water sediments	0.32 mg/kg dw
Marine water	0.004 mg/l
Marine sediments	0.032 mg/kg dw
Food chain	
Microorganisms in sewage treatment	7 mg/l
soil (agricultural)	0.028 mg/kg dw
Air	

SECTION 9: Physical and Chemical Properties**9.1 Information on basic physical and chemical properties**

Colour:	Variable
Physical State	Liquid
Odor	Amine-like
Odor threshold	No Information
pH	11
Melting point / freezing point (°C)	Not measured

Boiling point or initial boiling point and boiling range (°C)	100 - N.D.
Flash Point, (°C)	Not measured
Evaporation rate	Not measured
Flammability (solid, gas)	Not measured
Lower and upper explosive limit	999 - 0
Vapour Pressure	Not measured
Relative vapour density	Not measured
Density and/or relative density	ca. 1.48 g/cm ³ .
Solubility in / Miscibility with water	Soluble
Partition coefficient: n-octanol/water	Not measured
Auto-ignition temperature (°C)	Not measured
Decomposition temperature (°C)	Not measured
Viscosity	Not measured

9.2 Other information

VOC Content g/l:	<10
Specific Gravity (g/cm³)	0.120

SECTION 10: Stability and Reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

No decomposition if stored and applied as directed. Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous polymerisation does not occur. Hazardous polymerisation may occur.

10.4 Conditions to avoid

Avoid temperatures above 40 °C, direct sunlight and contact with sources of heat. Direct sources of heat. Do not freeze.

10.5 Incompatible materials

Acids. Strong oxidizing agents.

10.6 Hazardous decomposition products

In case of fire **hazardous decomposition products** may be produced such as: Carbon dioxide (CO₂), carbon monoxide (CO), oxides of nitrogen (NO_x), dense black smoke.

SECTION 11: Information on hazard classes as defined in Regulation (EC) No 1272/2008

11.1 Information on toxicological effects

Acute Toxicity:

Oral LD50:	No Information
Inhalation LC50:	No Information
Dermal LD50:	No Information

Irritation: No information available.

Corrosivity: No information available.

Sensitization:

	No information available.
Repeated dose toxicity:	No information available.
Carcinogenicity:	No information available.
Mutagenicity:	No information available.
Toxicity for reproduction:	No information available.
STOT-single exposure:	No information available.
STOT-repeated exposure:	No information available.
Aspiration hazard:	No information available.

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

<u>CAS-No.</u>	<u>Name According to EEC</u>	<u>Oral LD50</u>	<u>Dermal LD50</u>	<u>Vapor LC50</u>	<u>Gas LC50</u>	<u>Dust/Mist LC50</u>
13463-67-7	Titanium dioxide	10000 mg/kg (rat)			0.000	0.000
9046-10-0	Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia.		2980 mg/kg (rabbit)	Not determined	Not determined	Not determined
2855-13-2	3-Aminomethyl-3,5,5-trimethylcyclohexylamine		1840 mg/kg (rabbit)	Not determined	Not determined	> 5.01 mg/l (rat, 4h)

Additional Information:

In the case of sensitisation to any of the ingredients, it is inadvisable to work with the product. Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization of susceptible persons. Corrosive - causes irreversible eye damage.

11.2 Information on other hazards

Endocrine disrupting properties - Toxicity

Name According to EEC	CAS-No.
------------------------------	----------------

Based on the available data, the product does not contain substances identified as having endocrine disrupting properties according to Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 in concentration of 0,1% or higher.

SECTION 12: Ecological Information

12.1 Toxicity:

EC50 48hr (Daphnia):	No information
IC50 72hr (Algae):	No information
LC50 96hr (fish):	No information

12.2 Persistence and degradability: No information

12.3 Bioaccumulative potential: No information

12.4 Mobility in soil: No information

12.5 Results of PBT and vPvB assessment: The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

12.6 Endocrine disrupting properties**Endocrine disrupting properties - Ecotoxicity****Name According to EEC****CAS-No.**

Based on the available data, the product does not contain substances identified as having endocrine disrupting properties according to Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 in concentration of 0,1% or higher.

12.7 Other adverse effects:

No information

<u>CAS-No.</u>	<u>Name According to EEC</u>	<u>EC50 48hr</u>	<u>IC50 72hr</u>	<u>LC50 96hr</u>
13463-67-7	Titanium dioxide	No information	No information	
9046-10-0	Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia.	No information	No information	> 15 mg/l
93941-62-9	3-[(6-Aminotrimethylhexyl)amino] propionitrile	No information	No information	No information
1332-58-7	Kaolin	No information	No information	
2855-13-2	3-Aminomethyl-3,5,5-trimethylcyclohexylamine	23 mg/l (Daphnia magna)	No information	110 mg/l (Leuciscus idus)
64741-88-4	Distillates (petroleum), solvent-refined heavy paraffinic (<3 % DMSO)	No information	No information	
61791-26-2	Amines, tallow alkyl, ethoxylated	No information	No information	
9014-85-1	2,4,7,9-Tetramethyldec-5-yne-4,7-diol, ethoxylated	No information	No information	
126-86-3	2,4,7,9-Tetramethyldec-5-yne-4,7-diol	No information	No information	
27213-90-7		No information	No information	No information
55406-53-6	3-Iodo-2-propynylbutylcarbamate	No information	No information	
2634-33-5	1,2-benzisothiazol-3(2H)-one	No information	No information	No information

SECTION 13: Disposal Considerations

13.1 WASTE TREATMENT METHODS: Dispose of as hazardous waste in compliance with local and national regulations. If recycling is not practicable, dispose of in compliance with local regulations. Container hazardous when empty. Empty containers should be taken to an approved waste handling site for recycling or disposal. The product should not be allowed to enter drains, water courses or the soil.

European Waste Code: 08 01 19*
Packaging Waste Code: 150110

SECTION 14: Transport Information

14.1	UN number	UN2735
14.2	UN proper shipping name	Amines, solid, corrosive, N.O.S.
	Technical name	(Polyoxypropylenediamine)
14.3	Transport hazard class(es)	8
	Subsidiary shipping hazard	Not applicable
14.4	Packing group	III
14.5	Environmental hazards	Not applicable
14.6	Special precautions for user	Not applicable
	EmS-No.:	Not applicable
14.7	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code	Not applicable

SECTION 15: Regulatory Information**15.1 Safety, health and environmental regulations/legislation for the substance or mixture:****National Regulations:**

Denmark Product Registration Number:	Not available
Danish MAL Code:	00-5 (1993)
Danish MAL Code - Mixture:	00-5 (1993)
Sweden Product Registration Number:	Not available
Norway Product Registration Number:	20434
Germany WGK Class:	Not available
Directive 2004/42/CE :	<10
Covered by Directive 2012/18/EC (Seveso III):	Not applicable
Restrictions to product or to substances according to Annex XVII, Regulation (CE) 1907/2006:	Not applicable

Annex XIV, Regulation (CE) 1907/2006 - Authorisation List:**CAS-No. Name According to EEC**

Not Applicable

SVHC - Substances of very high concern (Candidate List - Art. 59 REACH):**CAS-No. Name According to EEC**

Not Applicable

15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: Other Information

Text for CLP Hazard Statements shown in Section 3 describing each ingredient:

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Reasons for revision

Substance and/or Product Properties Changed in Section(s):

- 01 - Identification
- 08 - Exposure Controls/Personal Protection
- 11 - Toxicological Information
- 14 - Transportation Information

Revision Statement(s) Changed

This Safety Data Sheet (SDS) has been revised to meet the new EU CLP requirements. There have been both formatting and content changes based on the CLP classification (if applicable), please review each section of the SDS for specific changes.

List of References:

This Safety Data Sheet was compiled with data and information from the following sources:

- The Ariel Regulatory Database provided by the 3E Corporation in Copenhagen, Denmark.
- Joint Research Centre in Ispra, Italy.
- Regulation (EC) 1272/2008 with subsequent amendments.
- Regulation (EC) 1272/2006 with subsequent amendments.
- Commission Regulation (EU) 2020/878
- EU Council Decision 2000/532/EC and its Annex entitled "List of Wastes"
- Safety Data Sheet from raw material supplier

Acronym & Abbreviation Key:

CLP	Classification, Labeling & Packaging Regulation
EC	European Commission
EU	European Union
US	United States
CAS	Chemical Abstract Service
EINECS	European Inventory of Existing Chemical Substances
REACH	Registration, Evaluation, Authorization of Chemicals Regulation
GHS	Globally Harmonized System of Classification and Labeling of Chemicals
LTEL	Long term exposure limit
STEL	Short term exposure limit
OEL	Occupational exposure limit
ppm	Parts per million
mg/m ³	Milligrams per cubic meter
TLV	Threshold Limit Value
ACGIH	American Conference of Governmental Industrial Hygienists
OSHA	Occupational Safety & Health Administration
PEL	Permissible Exposure Limits
VOC	Volatile organic compounds
g/l	Grams per liter
mg/kg	Milligrams per kilogram
N/A	Not applicable
LD50	Lethal dose at 50%
LC50	Lethal concentration at 50%
EC50	Half maximal effective concentration
IC50	Half maximal inhibitory concentration
PBT	Persistent bioaccumulative toxic chemical
vPvB	Very persistent and very bioaccumulative
EEC	European Economic Community
ADR	International Transport of Dangerous Goods by Road

RID	International Transport of Dangerous Goods by Rail
UN	United Nations
IMDG	International Maritime Dangerous Goods Code
IATA	International Air Transport Association
MARPOL	International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978
IBC	International Bulk Container
RTI	Respiratory Tract Irritation
NE	Narcotic Effects
IMO	International Maritime Organization

For further information, please contact: Technical Services Department

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product or where instructions and recommendations are not followed.