Safety Data Sheet according to Regulation (EC) 'No. 2020/878



Eillbruck Flowcrete, Nullifire Vandex TREMCO Tryvit Nudura

SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1	Product Identifier Product Name:	DECKSHIELD DPM PART A Deckshield DPM Part A	Revision Date: Supersedes Date:	26/01/2023 17/05/2021
1.2	UFI Code: Nanoform: Relevant identified uses of the substance or mixture and uses advised against	HS32-N023-J00R-HHKW No Manual activities involving hand conta onto article (indoor). For use by appro does NOT contain an antimicrobial ag spreading of coatings. Advised again hazards and training required. Compo Industrial use. Advised against: other	opriately trained applicators. This co ent. Roller application or brushing. st: Home DIY applications, because onent of multicomponent industrial c	omponent Low energy of the health
1.3	Details of the supplier of the safety	r data sheet		
	Manufacturer:	Tremco CPG Poland Sp. z o. o. Ul. Marywilska 34 03-228 Warszawa Polska Tel: +48 22 879 8907 Fax: +48 22 879 8918 ehs.uk@flowcrete.com www.flowcrete.com.pl/		
	Datasheet Produced by:	ehs.uk@flowcrete.com		
1.4	Emergency telephone number:	CHEMTREC +1 703 5273887 (Outsid	de US)	

SECTION 2: Hazards Identification

2.1 Classification of the substance or mixture

Classification according to Classification, Labeling & Packaging Regulation (EC) 1272/2008

EUH208 H412

HAZARD STATEMENTS

Allergic effects	
Hazardous to the aquatic environment, Chronic, category 3	

2.2 Label elements

Symbol(s) of Product

No Hazard Symbols Exist

Signal Word

None

Named Chemicals on Label

None

HAZARD STATEMENTS

Haz Chr	ergic effects zardous to the aquatic environment, ronic, category 3 ECAUTION PHRASES	EUH208 H412	Contains Turpentine,-oil. May produce an allergic reaction. Harmful to aquatic life with long lasting effects.				
		P273	Avoid release to the environment.				
2.3	Other hazards No Information						
Results of PBT and vPvB assessment: The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.							
Endocrine disrupting properties - Toxicity							
	Name According to EEC	CAS-No.					
	No Information						
	Endocrine disrupting properties - Ecotoxicity						
	Name According to EEC	CAS-No.					
No Information							

SECTION 3: Composition/Information On Ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Hazardous ingredients

Name According to EEC	<u>%</u>	Classifications	SCL Value:
EINEC No.			ATE Value:
CAS-No.			M-Factor:
REACH Reg No.			

Product: DECKSHIELD DPM PART A

Oxydipropyl dibenzoate 248-258-5	2.5 - <10	H412	SCL Value:	-
27138-31-4			ATE Value:	-
01-2119529241-49		Aquatic Chronic 3		
			M-Factor:	-
2-(4-methylcyclohex-3-en-1-yl) propan-2-ol	2.5 - <10	H315-319	SCL Value:	-
701-188-3			ATE Value:	-
No Information		Eye Irrit. 2, Skin Irrit. 2		
			M-Factor:	-
Turpentine,-oil	0.1 - <1.0	H302-304-312-315-317-319-332-411	SCL Value:	-
232-350-7				
8006-64-2			ATE Value:	-
No Information		Acute Tox. 4 Dermal, Acute Tox. 4 Inhalation, Acute Tox. 4 Oral, Aquatic Chronic 2, Asp. Tox. 1, Eye Irrit. 2, Skin Irrit. 2, Skin Sens. 1	M-Factor:	-

Additional Information:

The text for CLP Hazard Statements shown above (if any) is given in Section 16.

SECTION 4: First-aid Measures

4.1 Description of First Aid Measures

GENERAL NOTES: When symptoms persist or in all cases of doubt seek medical advice. Show this safety data sheet to the doctor in attendance. Remove contaminated clothing and shoes.

AFTER INHALATION: Move to fresh air. Consult a physician after significant exposure. Keep respiratory tract clear.

Remove person to fresh air. If signs/symptoms continue, get medical attention.

AFTER SKIN CONTACT: Use a mild soap if available. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician. Do NOT use solvents or thinners.

AFTER EYE CONTACT: Keep eye wide open while rinsing. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. If eye irritation persists, consult a specialist.

AFTER INGESTION: Gently wipe or rinse the inside of the mouth with water. Give small amounts of water to drink. Never give anything by mouth to an unconscious person. If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.

Self protection of the first aider:

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

No Information

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting Measures

5.1 Extinguishing Media:

Dry Chemical, Foam, Water Fog

FOR SAFETY REASONS NOT TO BE USED: Alcohol, Alcohol based solutions, any other media not listed above.

5.2 Special hazards arising from the substance or mixture

In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

5.3 Advice for firefighters

Keep containers and surroundings cool with water spray. Fire will produce dense black smoke containing hazardous combustion products (see section 10). In the event of fire, wear self-contained breathing apparatus. Dry powderCarbon dioxide (CO2). HalonsDo not use a solid water stream as it may scatter and spread fire. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

SECTION 6: Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

Ensure adequate ventilation. Use personal protective equipment. Keep people away from and upwind of spill/leak. Remove all sources of ignition.

6.1.2 For emergency responders

See Section 7, 8 and 10 for further information.

6.2 Environmental precautions

Do not allow material to contaminate ground water system. Prevent product from entering drains. May cause long-term adverse effects in the aquatic environment.

6.3 Methods and material for containment and cleaning up

Pick up and transfer to properly labelled containers. No special environmental precautions required. Prevent further leakage or spillage if safe to do so. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13). After cleaning, flush away traces with water. Refer to protective measures listed in sections 7 and 8.

6.4 Reference to other sections

FURTHER INSTRUCTIONS: Please refer to EU disposal requirements or country specific disposal requirements for this material. See Section 8 and 13 for further information.

SECTION 7: Handling and Storage

7.1 Precautions for safe handling

Use only in area provided with appropriate exhaust ventilation. Provide sufficient air exchange and/or exhaust in work rooms. Wear personal protective equipment. Use only in well-ventilated areas. Avoid prolonged contact with eyes, skin and clothing. Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization of susceptible persons. In the case of sensitisation to any of the ingredients, it is inadvisable to work with the product. Handle in accordance with good industrial hygiene and safety practice. Keep working clothes separately. Keep away from food, drink and animal feeding stuffs. When using, do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing. Wash hands and face before breaks and immediately after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

CONDITIONS TO AVOID: Avoid temperatures above 40 °C, direct sunlight and contact with sources of heat. Avoid dust accumulation in enclosed space. Do not freeze.

STORAGE CONDITIONS: Store at room temperature in the original container. Keep tightly closed in a dry and cool place. Keep locked up or in an area accessible only to qualified or authorised persons. Keep container closed when not in use. Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.

7.3 Specific end use(s)

Base A - Flowfresh and Flowcrete Multipack range. Component of a resin flooring product. The mixing and application to be in accordance with the technical data sheets.

SECTION 8: Exposure Controls/Personal Protection

8.1 Control parameters

Ingredients with Occupational Exposure Limits (UK WELS)

Name	CAS-No.	L	TEL ppm	STEL ppm	STEL mg/m3	LTEL mg/m3
Oxydipropyl dibenzoate	27138-31-4					
2-(4-methylcyclohex-3-en-1-yl)propan-2-ol						
Turpentine,-oil	8006-64-2		100	150	850	566
Name	CAS-No.	OEL Note				
Oxydipropyl dibenzoate	27138-31-4					
2-(4-methylcyclohex-3-en-1-yl)propan-2- ol						
Turpentine,-oil	8006-64-2					
					_	

FURTHER ADVICE: Refer to the regulatory exposure limits for the workforce enforced in each country. Some components may not have been classified under the EU CLP Regulation.

Chemical Name:

EC No.: CAS-No.:

DNELs - Derived no effect level

	Workers				Consumers			
Route of	Acute effect	Acute effects	Chronic	Chronic effects	Acute effect	Acute effects	Chronic	Chronic effects
Exposure	local	systemic	effects local	systemic	local	systemic	effects local	systemic
Oral		Not required						
Inhalation								
Dermal								

PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	
Fresh water sediments	
Marine water	
Marine sediments	
Food chain	
Microorganisms in sewage treatment	
soil (agricultural)	
Air	

8.2 Exposure controls

Personal Protection

RESPIRATORY PROTECTION: Breathing apparatus with filter. No personal respiratory protective equipment normally required.

EYE PROTECTION: Eye wash bottle with pure water. Safety goggles. Tightly fitting safety goggles. Safety glasses with side-shields conforming to EN 166.

HAND PROTECTION: Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Rubber or plastic gloves. Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). Long sleeved clothing. Remove and wash contaminated clothing before re-use. Remove contaminated clothing and protective equipment before entering eating areas.

OTHER PROTECTIVE EQUIPMENT: No Information

ENGINEERING CONTROLS: As a rule, at least 5 air changes per hour are recommended at the workplace. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas.

SECTION 9: Physical and Chemical Properties

Date Printed: 26/01/2023					
9.1	Information on basic physical and chemical properties Colour: off white				
	Physical State	Liquid			
	Odor	mild aromatic odor			
	Odor threshold	Not determined			
	рН	ca. 9.5			
	Melting point / freezing point (°C)	Not determined			
	Boiling point or initial boiling point and boiling range (°C)	100 - N.D.			
	Flash Point, (°C)	Not measured			
	Evaporation rate	Not determined			
	Flammability (solid, gas)	Not determined			
	Llower and upper explosive limit	1 - 12			
	Vapour Pressure	Not determined			
	Relative vapour density	Not determined			
	Density and/or relative density	ca. 1.0			
	Solubility in / Miscibility with water	Slight			
	Partition coefficient: n-octanol/water	Not determined			
	Auto-ignition temperature (°C)	Not determined			
	Decomposition temperature (°C)	Not determined			
	Kinematic viscosity	Not determined			
	Particle characteristics	Not applicable to liquids			

9.2 Other VOC C

Other information	
VOC Content g/l:	<20
Specific Gravity (g/cm3)	0.120

SECTION 10: Stability and Reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

No decomposition if stored and applied as directed. Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4 Conditions to avoid

Avoid temperatures above 40 °C, direct sunlight and contact with sources of heat. Avoid dust accumulation in enclosed space. Do not freeze.

10.5 Incompatible materials

Incompatible with strong acids and oxidizing agents.

10.6 Hazardous decomposition products

In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

SECTION 11: Toxicological information

11.1 Information on hazard classes as definied in Regulation (EC) No 1272/2008

.1	Information on hazard classes as definied in Regulation (EC) No 1272/2008				
	Acute Toxicity:				
	Oral LD50:	No Information			
	Inhalation LC50:	No Information			
	Dermal LD50:	No Information			
	Irritation:	No information available.			
	Corrosivity:	No information available.			
	Sensitization:	Prolonged or repeated skin contact may result in allergic eczema.			
	Repeated dose toxicity:	No information available.			
	Carcinogenicity:	No information available.			
	Mutagenicity:	No information available.			
	Toxicity for reproduction:	No information available.			
	STOT-single exposure:	No information available.			
	STOT-repeated exposure:	No information available.			
	Aspiration hazard:	No information available.			

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

CAS-No.	Name According to EEC	Oral LD50	Dermal LD50	Vapor LC50	Gas LC50	Dust/Mist LC50
27138-31-4	Oxydipropyl dibenzoate	3914 mg/kg (rat)	> 2001 mg/kg (rat)	> 200 mg/L, 4 hr (rat)	0.000	0.000

Additional Information:

In the case of sensitisation to any of the ingredients, it is inadvisable to work with the product. Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization of susceptible persons.

11.2 Information on other hazards

Endocrine	disrupting	properties -	Toxicity
-----------	------------	--------------	----------

Name According to EEC

CAS-No.

No Information

SECTION 12: Ecological Information

12.1 Toxicity:

	EC50 48hr (Daphnia):	No information
	IC50 72hr (Algae):	No information
	LC50 96hr (fish):	No information
12.2	Persistence and degradability:	No information
12.3	Bioaccumulative potential:	No information

12.4 Mobility in soil:		No inf	No information			
12.5	12.5 Results of PBT and vPvB assessment:		The pr	oduct does not me	et the criteria for PBT/VPv	B in accordance with Annex XIII.
12.6	Endo	crine disrupting properties				
	Ende	ocrine disrupting properties - Ecotoxic	ity			
Name According to EEC		CAS-No).			
	No I	nformation				
12.7	Other	adverse effects:	No inf	ormation		
<u>CAS-</u>	<u>No.</u>	Name According to EEC		<u>EC50 48hr</u>	<u>IC50 72hr</u>	<u>LC50 96hr</u>
27138	8-31-4	Oxydipropyl dibenzoate		No information	No information	
		2-(4-methylcyclohex-3-en-1-yl)propar	n-2-ol	No information	No information	No information

No information

No information

SECTION 13: Disposal Considerations

Turpentine,-oil

8006-64-2

13.1 WASTE TREATMENT METHODS: Dispose of as hazardous waste in compliance with local and national regulations. If recycling is not practicable, dispose of in compliance with local regulations. Waste codes should be assigned by the user based on the application for which the product was used. Container hazardous when empty. Empty containers should be taken to an approved waste handling site for recycling or disposal. The product should not be allowed to enter drains, water courses or the soil.

European Waste Code:	080119*
Packaging Waste Code:	150110

SECTION 14: Transport Information

		ADR/RID	ADN	IMDG	ΙΑΤΑ
14.1	UN-number or ID number	No Information	No Information	No Information	No Information
14.2	UN proper shipping name	Not regulated for transport according to ADR/RID, IMDG, and IATA regulations.	Not regulated for transport according to ADR/RID, IMDG, and IATA regulations.	Not regulated for transport according to ADR/RID, IMDG, and IATA regulations.	Not regulated for transport according to ADR/RID, IMDG, and IATA regulations.
14.3	Transport Hazard Class(es)	No Information	No Information	No Information	No Information
14.4	Packing Group	No Information	No Information	No Information	No Information
14.5	Enviromental Hazards	No Information	No Information	No Information	No Information

14.6	Special precautions for user	Not applicable
	EmS-No.:	Not applicable
14.7	Maritime transport in bulk according to IMO	Not applicable

14.7 Maritime transport in bulk according to IMO intruments

SECTION 15: Regulatory Information

15.1	Safety, health and environmental regulations/legislation for the substance or mixture: National Regulations:	
	Denmark Product Registration Number:	Not available
	Danish MAL Code:	Not available
	Danish MAL Code - Mixture:	Not available
	Sweden Product Registration Number:	Not available
	Norway Product Registration Number:	314422

Germany WGK Class:

Directive	2004/42/CE	•
Directive	2004/42/02	•

Covered by Directive 2012/18/EC (Seveso III):

<20

Not applicable

1

Restrictions to product or to substances according to Annex XVII, Regulation (CE) 1907/2006: Not a

Not applicable

Annex XIV, Regulation (CE) 1907/2006 - Authorisation List:

CAS-No. Name According to EEC

Not Applicable

SVHC - Substances of very high concern (Candidate List - Art. 59 REACH):

CAS-No. Name According to EEC

Not Applicable

15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: Other Information

Text for CLP Hazard Statements shown in Section 3 describing each ingredient:

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Reasons for revision

Composition Information Changed

Substance and/or Product Properties Changed in Section(s):

- 01 Identification
- 02 Hazard Identification
- 03 Composition/Information On Ingredients
- 08 Exposure Controls/Personal Protection
- 09 Physical and Chemical Properties
- 11 Toxicological Information
- 14 Transportation Information
- 15 Regulatory Information

Substance Regulatory CAS Number Changed Revision Statement(s) Changed

This Safety Data Sheet (SDS) has been revised to meet the new EU CLP requirements. There have been both formatting and content changes based on the CLP classification (if applicable), please review each section of the SDS for specific changes.

List of References:

This Safety Data Sheet was compiled with data and information from the following sources:

- The Ariel Regulatory Database provided by the 3E Corporation in Copenhagen, Denmark.
- Joint Research Centre in Ispra, Italy.
- Regulation (EC) 1272/2008 with subsequent amendments.
- Regulation (EC) 1272/2006 with subsequent amendments.
- Commission Regulation (EU) 2020/878
- EU Council Decision 2000/532/EC and its Annex entitled "List of Wastes"
- Safety Data Sheet from raw material supplier
- The classification of the product is based on the calculation methods set out in Annex I

of

and Annex II of the CLP Reg. 1272/2008 on the exact composition of the formula

Acronym & Abbreviation Key:

CLP	Classification, Labeling & Packaging Regulation
EC	European Commission
EU	European Union
US	United States
CAS	Chemical Abstract Service
EINECS	European Inventory of Existing Chemical Substances
REACH	Registration, Evaluation, Authorization of Chemicals Regulation
GHS	Globally Harmonized System of Classification and Labeling of Chemicals
LTEL	Long term exposure limit
STEL	Short term exposure limit
OEL	Occupational exposure limit
ppm	Parts per million
mg/m3	Milligrams per cubic meter
TLV	Threshold Limit Value
ACGIH	American Conference of Governmental Industrial Hygienists
OSHA	Occupational Safety & Health Administration
PEL	Permissible Exposure Limits
VOC	Volatile organic compounds
g/l	Grams per liter
mg/kg	Milligrams per kilogram
N/A	Not applicable
LD50	Lethal dose at 50%
LC50	Lethal concentration at 50%
EC50	Half maximal effective concentration
IC50	Half maximal inhibitory concentration
PBT	Persistent bioaccumulative toxic chemical
vPvB	Very persistent and very bioaccumulative
EEC	European Economic Community
ADR	International Transport of Dangerous Goods by Road
RID	International Transport of Dangerous Goods by Rail
UN	United Nations
IMDG	International Maritime Dangerous Goods Code
IATA	International Air Transport Association
MARPOL	International Convention for the Prevention of Pollution From Ships, 1973 as
	modified by the Protocol of 1978
IBC	International Bulk Container
RTI	Respiratory Tract Irritation
NE	Narcotic Effects
IMO	International Maritime Organization
Note P:	The classification as a carcinogen or mutagen need not apply; the substance
	contains less than 0,1 % w/w benzene
Note 10:	The classification as a carcinogen by inhalation applies only to mixtures in
	powder form containing 1 % or more of titanium dioxide which is in the form of
	or incorporated in particles with aerodynamic diameter \leq 10 µm.

For further information, please contact: Technical Services Department

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product or where instructions and recommendations are not followed.