## Safety Data Sheet according to Regulation (EC) 'No. 2020/878

















## SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

FLOWPRIME WHG PART B **Revision Date:** 10/02/2023 **Product Identifier** 

**Supersedes Date:** 30/01/2023 Flowprime WHG Part B **Product Name:** 

**UFI Code:** T3XJ-50X7-S001-94JC

Nanoform:

Relevant identified uses of the substance or mixture and uses

advised against

Coatings and paints, thinners, paint removers. Manual activities involving hand contact. Widespread use leading to inclusion into/onto article (indoor). For use by appropriately trained applicators. Roller application or brushing. Low energy spreading of coatings. Advised against: Home DIY applications, because of the health hazards and training required. Advised against: others than recommended

Details of the supplier of the safety data sheet 1.3

> Alteco Technik GmbH Raiffeisenstrasse 16 D-27239 Twistringen

Germany

Phone: +49(0) 4243 92950 Fax: +49(0) 4243 929589

This telephone number is available during office hours only

Supplier:

info@alteco-technik.de **Datasheet Produced by:** 

Chemtrec: 1-800-424-9300 for US 1.4 Emergency telephone number: +1 703 5273887 (Outside US)

## **SECTION 2: Hazards Identification**

#### Classification of the substance or mixture 2.1

Classification according to Classification, Labeling & Packaging Regulation (EC) 1272/2008

### **HAZARD STATEMENTS**

Acute Toxicity, Oral, category 4	H302
Skin Corrosion, category 1B	H314-1B
Skin Sensitizer, category 1	H317
Acute Toxicity, Inhalation, category 4	H332
Hazardous to the aquatic environment, Chronic, category 3	H412

H302

### 2.2 Label elements

## Symbol(s) of Product





## Signal Word

Danger

### Named Chemicals on Label

Salicylic acid, Benzyl alcohol, 4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, Benzene-1,3-dimethanamine (MXDA), Reaction product of Epoxy A with IPD, Polyoxypropylene diamine

Harmful if swallowed.

Wash contaminated clothing before reuse.

### **HAZARD STATEMENTS**

Acute Toxicity, Oral, category 4

,,,,		
Skin Corrosion, category 1B	H314-1B	Causes severe skin burns and eye damage.
Skin Sensitizer, category 1	H317	May cause an allergic skin reaction.
Acute Toxicity, Inhalation, category 4	H332	Harmful if inhaled.
Hazardous to the aquatic environment, Chronic, category 3	H412	Harmful to aquatic life with long lasting effects.
PRECAUTION PHRASES		
	P260	Do not breathe dust/fume/gas/mist/vapours/spray.
	P264	Wash hands thoroughly after handling.
	P270	Do no eat, drink or smoke when using this product.
	P273	Avoid release to the environment.
	P280	Wear protective gloves/protective clothing/eye protection/ face protection.
	P301+310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
	P301+330+331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
	P302+352	IF ON SKIN: Wash with plenty of soap and water.
	P304+340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.
	P333+313	If skin irritation or rash occurs: Get medical advice/attention.

### 2.3 Other hazards

No Information

## Results of PBT and vPvB assessment:

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

P363

## **Endocrine disrupting properties - Toxicity**

Name According to EEC CAS-No.

No Information

## Endocrine disrupting properties - Ecotoxicity

Name According to EEC CAS-No.

No Information

# **SECTION 3: Composition/Information On Ingredients**

## 3.1 Substances

Not applicable

## 3.2 Mixtures

## Hazardous ingredients

Name According to EEC  EINEC No.  CAS-No.  REACH Reg No.	<u>%</u>	<u>Classifications</u>	SCL Value: ATE Value: M-Factor:	
Benzyl alcohol 202-859-9	25 - <50	H302-332	SCL Value:	-
100-51-6			ATE Value:	-
01-2119492630-38		Acute Tox. 4 Inhalation, Acute Tox. 4 Oral	M-Factor:	-
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	10 - <25	H314-317-411	SCL Value:	-
500-302-7			ATE Value:	-
113930-69-1 01-2119965162-39		Aquatic Chronic 2, Skin Corr. 1B, Skin Sens. 1	M-Factor:	-
Benzene-1,3-dimethanamine (MXDA)	10 - <25	H302-314-317-332-412	SCL Value:	-
1477-55-0			ATE Value:	-
No Information		Acute Tox. 4 Inhalation, Acute Tox. 4 Oral, Aquatic Chronic 3, Skin Corr. 1B, Skin Sens. 1	M-Factor:	-

Reaction product of Epoxy A with IPD	10 - <25	H314-317-412	SCL Value:	-
500-101-4 38294-64-3 01-2119965165-33		Aquatic Chronic 3, Skin Corr. 1B, Skin Sens. 1	ATE Value: M-Factor:	-
Salicylic acid 200-712-3 69-72-7 01-2119486984-17	2.5 - <10	H302-318-361d  Acute Tox. 4 Oral, Eye Dam. 1, Repr. 2	SCL Value:  ATE Value:  M-Factor:	-
Polyoxypropylene diamine 9046-10-0 No Information	1.0 - <2.5	H314-412  Aquatic Chronic 3, Skin Corr. 1B	SCL Value: ATE Value: M-Factor:	-

Additional Information: The text for CLP Hazard Statements shown above (if any) is given in Section 16.

### **SECTION 4: First-aid Measures**

## 4.1 Description of First Aid Measures

**GENERAL NOTES:** When symptoms persist or in all cases of doubt seek medical advice. Show this safety data sheet to the doctor in attendance. Risk of product entering the lungs on vomiting after ingestion. Remove contaminated clothing and shoes.

**AFTER INHALATION:** Keep respiratory tract clear. Remove person to fresh air. If signs/symptoms continue, get medical attention.

**AFTER SKIN CONTACT:** Use a mild soap if available. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.

**AFTER EYE CONTACT:** Keep eye wide open while rinsing. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. If eye irritation persists, consult a specialist.

**AFTER INGESTION:** Gently wipe or rinse the inside of the mouth with water. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. If swallowed, seek medical advice immediately and show this container or label.

### Self protection of the first aider:

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

### 4.2 Most important symptoms and effects, both acute and delayed

May cause sensitization by skin contact.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

## **SECTION 5: Firefighting Measures**

#### 5.1 Extinguishing Media:

Carbon Dioxide, Dry Chemical, Foam, Water Fog

FOR SAFETY REASONS NOT TO BE USED: Alcohol, Alcohol based solutions, any other media not listed above.

#### 5.2 Special hazards arising from the substance or mixture

In case of fire hazardous decomposition products may be produced such as: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

### 5.3 Advice for firefighters

Keep containers and surroundings cool with water spray. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Fire will produce dense black smoke containing hazardous combustion products (see section 10). In the event of fire, wear self-contained breathing apparatus. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

### **SECTION 6: Accidental Release Measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

#### 6.1.1 For non-emergency personnel

Ensure adequate ventilation. Use personal protective equipment. Keep people away from and upwind of spill/leak.

### 6.1.2 For emergency responders

See Section 7, 8 and 10 for further information.

### 6.2 Environmental precautions

Do not allow material to contaminate ground water system. Prevent product from entering drains. May cause long-term adverse effects in the aquatic environment.

#### 6.3 Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13). Refer to protective measures listed in sections 7 and 8.

#### 6.4 Reference to other sections

**FURTHER INSTRUCTIONS:** Please refer to EU disposal requirements or country specific disposal requirements for this material. See Section 8 and 13 for further information.

### SECTION 7: Handling and Storage

## 7.1 Precautions for safe handling

Wear personal protective equipment. Use only in well-ventilated areas. Do not breathe vapours or spray mist. Avoid contact with skin and eyes.

Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization of susceptible persons. In the case of sensitisation to any of the ingredients, it is inadvisable to work with the product. Handle in accordance with good industrial hygiene and safety practice. Keep working clothes separately. Keep away from food, drink and animal feedingstuffs. When using, do not eat, drink or smoke. Wash hands and face before breaks and immediately after handling the product.

### 7.2 Conditions for safe storage, including any incompatibilities

**CONDITIONS TO AVOID:** Do not freeze.

**STORAGE CONDITIONS:** Keep at temperatures between 5 and 25 °C. Do not freeze. Store at room temperature in the original container. Keep locked up or in an area accessible only to qualified or authorised persons. Keep container closed when not in use. Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.

## 7.3 Specific end use(s)

Component of a resin flooring product. The mixing and application to be in accordance with the technical data sheets.

## **SECTION 8: Exposure Controls/Personal Protection**

## 8.1 Control parameters

## Ingredients with Occupational Exposure Limits (UK WELS)

<u>Name</u>	CAS-No.	<u>LTEL </u> ;	opm S	TEL ppm	STEL mg/m3	LTEL mg/m3
Benzyl alcohol	100-51-6					
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	113930-69-1					
Benzene-1,3-dimethanamine (MXDA)	1477-55-0					
Reaction product of Epoxy A with IPD	38294-64-3					
Salicylic acid	69-72-7					
Polyoxypropylene diamine	9046-10-0					
<u>Name</u>	CAS-No.	OEL Note				

Benzyl alcohol 100-51-6 4,4'-Isopropylidenediphenol, oligomeric 113930-69-1

reaction products with 1-chloro-2,3-

epoxypropane

Benzene-1,3-dimethanamine (MXDA) 1477-55-0

Reaction product of Epoxy A with IPD 38294-64-3

Salicylic acid 69-72-7

9046-10-0 Polyoxypropylene diamine

FURTHER ADVICE: Refer to the regulatory exposure limits for the workforce enforced in each country. Some components may not have been classified under the EU CLP Regulation.

## **Chemical Name:**

Benzyl alcohol

EC No.: CAS-No.: 202-859-9 100-51-6

### **DNELs - Derived no effect level**

	Workers				Consumers			
Route of	Acute effect	Acute effects	Chronic	Chronic effects	Acute effect	Acute effects	Chronic	Chronic effects
Exposure	local	systemic	effects local	systemic	local	systemic	effects local	systemic
Oral		Not required				20 mg/kg bw/d		4 mg/kg bw/d
Inhalation	- 110 mg/m <sup>3</sup> - 22 n		22 mg/m³	-	27 mg/m³	-	5.4 mg/m <sup>3</sup>	
Dermal	-	40 mg/kg bw/d	-	8 mg/kg bw/d	-	20 mg/kg bw/d	-	4 mg/kg bw/d

### PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	1 mg/l
Fresh water sediments	5.27 mg/kg
Marine water	0.1 mg/l
Marine sediments	0.527 mg/kg
Food chain	
Microorganisms in sewage treatment	39 mg/l
soil (agricultural)	0.456 mg/kg
Air	

#### **Chemical Name:**

Reaction product of Epoxy A with IPD

**EC No.: CAS-No.:** 500-101-4 38294-64-3

#### DNELs - Derived no effect level

	Workers				Consumers			
Route of	Acute effect Acute effects Chronic C		Chronic effects	Acute effect	Acute effects	Chronic	Chronic effects	
Exposure	local	systemic	effects local	systemic	local	systemic	effects local	systemic
Oral		Not required						0.050 mg/kg
Inhalation			0.496 mg/m <sup>3</sup>				0.074 mg/m <sup>3</sup>	
Dermal			0.14 mg/kg				0.050 mg/kg	

### PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	0.011 mg/l
Fresh water sediments	4320 mg/kg
Marine water	0.001 mg/l
Marine sediments	432 mg/kg
Food chain	
Microorganisms in sewage treatment	10 mg/l
soil (agricultural)	864 mg/kg
Air	No hazard identified

### **Chemical Name:**

Salicylic acid

**EC No.: CAS-No.:** 200-712-3 69-72-7

### **DNELs - Derived no effect level**

	Workers				Consumers			
Route of	Acute effect Acute effects Chronic			Chronic effects	Acute effect	Acute effects	Chronic	Chronic effects
Exposure	local	systemic	effects local	systemic	local	systemic	effects local	systemic
Oral	Not required					4 mg/kg bw/d		1 mg/kg bw/d
Inhalation	5 mg/m3		5 mg/m³				4 mg/m3	
Dermal				2.3 mg/kg bw/d				1 mg/kg bw/d

## PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	0.2 mg/l
Fresh water sediments	1.42 mg/kg
Marine water	0.02 mg/l
Marine sediments	0.142 mg/kg
Food chain	
Microorganisms in sewage treatment	162 mg/l
soil (agricultural)	0.166 mg/kg
Air	

## 8.2 Exposure controls

#### **Personal Protection**

**RESPIRATORY PROTECTION:** In case of insufficient ventilation and where workplace exposure limits may be exceeded, wear suitable respiratory equipment. Respirator with filter for organic vapor.

**EYE PROTECTION:** Eye wash bottle with pure water. Tightly fitting safety goggles. Safety glasses with side-shields conforming to EN 166.

**HAND PROTECTION:** Use chemical resistant gloves (EN 374): Butyl rubber; thickness >= 0,5 mm; breakthrough time >=60 min. Impervious gloves. Long sleeved clothing. Remove and wash contaminated clothing before re-use.

OTHER PROTECTIVE EQUIPMENT: No Information

**ENGINEERING CONTROLS:** As a rule, at least 5 air changes per hour are recommended at the workplace. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas.

### **SECTION 9: Physical and Chemical Properties**

### 9.1 Information on basic physical and chemical properties

Colour: Yellowish
Physical State Liquid
Odor amine-like

Odor threshold Not determined PH Not determined

Melting point / freezing point (°C) Not determined

Boiling point or initial boiling point and

boiling range (°C)

205 - N.D.

Flash Point, (°C)

Evaporation rate

Not determined

Flammability (solid, gas)

Not determined

Llower and upper explosive limit

Not determined

Vapour Pressure Not determined Relative vapour density Not determined Density and/or relative density Not determined Solubility in / Miscibility with water Not determined Partition coefficient: n-octanol/water Not determined Auto-ignition temperature (°C) Not determined Decomposition temperature (°C) Not determined Kinematic viscosity Not determined

Particle characteristics Not applicable to liquids

9.2 Other information

VOC Content g/l: 0.00

Specific Gravity (g/cm3) 0.123

## **SECTION 10: Stability and Reactivity**

#### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed. Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous polymerisation does not occur.

#### 10.4 Conditions to avoid

Do not freeze.

### 10.5 Incompatible materials

Acids. Strong oxidizing agents. Mineral acids, organic acids, oxidizing agents, reactive metals, sodium or calcium hypochlorite. Product slowly corrodes copper, aluminum, zinc, and galvanized surfaces. Reaction with peroxides may result in violent decomposition of peroxide.

## 10.6 Hazardous decomposition products

In case of fire **hazardous decomposition products** may be produced such as: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

## **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as definied in Regulation (EC) No 1272/2008

**Acute Toxicity:** 

Oral LD50: No information available.

Inhalation LC50: No information available.

Dermal LD50: No Information

Irritation: No information available.

Corrosivity: Corrosive to eyes and skin.

Sensitization: May cause an allergic skin reaction.

Repeated dose toxicity: No information available.

Carcinogenicity: No information available.

Mutagenicity: No information available.

**Toxicity for reproduction:** No information available.

STOT-single exposure: No information available.

STOT-repeated exposure: No information available.

Aspiration hazard: No information available.

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

CAS-No.	Name According to EEC	Oral LD50	Dermal LD50	Vapor LC50	Gas LC50	Dust/Mist LC50
100-51-6	Benzyl alcohol		>2000 mg/kg (rat)			>4178 mg/l (rat)
38294-64-3	Reaction product of Epoxy A with IPD		> 2000 mg/kg (rat)	Not determined	Not determined	> 5.01 mg/l (rat)
69-72-7	Salicylic acid		>2000 mg/kg (rat)		0.000	0.000

## **Additional Information:**

In the case of sensitisation to any of the ingredients, it is inadvisable to work with the product. Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization of susceptible persons. Corrosive - causes irreversible eye damage.

## 11.2 Information on other hazards

**Endocrine disrupting properties - Toxicity** 

Name According to EEC CAS-No.

No Information

## **SECTION 12: Ecological Information**

### 12.1 Toxicity:

EC50 48hr (Daphnia):

IC50 72hr (Algae):

No information

No information

No information

12.2 Persistence and degradability: No information

12.3 Bioaccumulative potential: No information

12.4 Mobility in soil: No information

12.5 Results of PBT and vPvB The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

assessment:

12.6 Endocrine disrupting properties

**Endocrine disrupting properties - Ecotoxicity** 

Name According to EEC CAS-No.

No Information

## 12.7 Other adverse effects: No information

CAS-No.	Name According to EEC	EC50 48hr	IC50 72hr	LC50 96hr
100-51-6	Benzyl alcohol	230 mg/l	770 mg/l (Pseudokirchneriella)	460 mg/l (Pimephales promelas)
113930-69-1	4,4'-lsopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	1.46 mg/L	No information	64 mg/L
1477-55-0	Benzene-1,3-dimethanamine (MXDA)	No information	No information	87.6 mg/L
38294-64-3	Reaction product of Epoxy A with IPD	11.1 mg/l (Daphnia magna)	79.4 mg/l (P. subcapitata)	70.7 mg/l (Oncorhynchus mykiss)
69-72-7	Salicylic acid	870 mg/l	> 100 mg/l (Desmodesmus subspicatus) OECD 201	1380 mg/l (pimephales promelas)
9046-10-0	Polyoxypropylene diamine	No information	No information	No information

## **SECTION 13: Disposal Considerations**

13.1 WASTE TREATMENT METHODS: Dispose of as hazardous waste in compliance with local and national regulations. Container hazardous when empty. Empty containers should be taken to an approved waste handling site for recycling or disposal. The product should not be allowed to enter drains, water courses or the soil.

**European Waste Code:**No Information 150110

## **SECTION 14: Transport Information**

		ADR/RID	ADN	IMDG	IATA
14.1	UN-number or ID number	UN2735	UN2735	UN2735	UN2735
14.2	UN proper shipping name	Amines, liquid, corrosive, N.O.S.,(m- Xylenediamine)	Amines, liquid, corrosive, N.O.S., (m-Xylenediamine)	Amines, liquid, corrosive, N.O.S.,(m- Xylenediamine)	Amines, liquid, corrosive, N.O.S.,(m-Xylenediamine)
14.3	Transport Hazard Class(es)	8	8	8	8
14.4	Packing Group	III	III	III	III
14.5	Enviromental Hazards	No Information	No Information	No Information	No Information

14.6 Special precautions for user Not applicable EmS-No.: Not applicable 14.7 Maritime transport in bulk according to IMO

intruments

Not applicable

## **SECTION 15: Regulatory Information**

15.1 Safety, health and environmental regulations/legislation for the substance or mixture:

**National Regulations:** 

**Denmark Product Registration Number:** Not available Danish MAL Code: Not available Danish MAL Code - Mixture: Not available Sweden Product Registration Number: Not available **Norway Product Registration Number:** Not available Germany WGK Class: Not available

Covered by Directive 2012/18/EC (Seveso III): Not applicable

Restrictions to product or to substances according to Annex XVII, Regulation (CE) 1907/2006:

Not applicable

Annex XIV, Regulation (CE) 1907/2006 - Authorisation List:

CAS-No. Name According to EEC

Not Applicable

SVHC - Substances of very high concern (Candidate List - Art. 59 REACH):

CAS-No. Name According to EEC

Not Applicable

### 15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

### SECTION 16: Other Information

### Text for CLP Hazard Statements shown in Section 3 describing each ingredient:

Harmful if swallowed.
Causes severe skin burns and eye damage.
May cause an allergic skin reaction.
Causes serious eye damage.
Harmful if inhaled.
Suspected of damaging the unborn child.
Toxic to aquatic life with long lasting effects.
Harmful to aquatic life with long lasting effects.

#### Reasons for revision

This Safety Data Sheet (SDS) has been revised to meet the new EU CLP requirements. There have been both formatting and content changes based on the CLP classification (if applicable), please review each section of the SDS for specific changes.

List of References:

This Safety Data Sheet was compiled with data and information from the following sources:

- The Ariel Regulatory Database provided by the 3E Corporation in Copenhagen, Denmark.
- Joint Research Centre in Ispra, Italy.
- Regulation (EC) 1272/2008 with subsequent amendments.
- Regulation (EC) 1272/2006 with subsequent amendments.
- Commission Regulation (EU) 2020/878
- EU Council Decision 2000/532/EC and its Annex entitled "List of Wastes"
- Safety Data Sheet from raw material supplier
- The classification of the product is based on the calculation methods set out in Annex I and Annex II of the CLP Reg. 1272/2008 on the exact composition of the formula

### Acronym & Abbreviation Key:

CLP Classification, Labeling & Packaging Regulation

EC European Commission
EU European Union
US United States

CAS Chemical Abstract Service

EINECS European Inventory of Existing Chemical Substances

REACH Registration, Evaluation, Authorization of Chemicals Regulation
GHS Globally Harmonized System of Classification and Labeling of Chemicals

LTEL Long term exposure limit

STEL Short term exposure limit
OEL Occupational exposure limit

ppm Parts per million

mg/m3 Milligrams per cubic meter TLV Threshold Limit Value

ACGIH American Conference of Governmental Industrial Hygienists

OSHA Occupational Safety & Health Administration

PEL Permissible Exposure Limits
VOC Volatile organic compounds

g/l Grams per liter

mg/kg Milligrams per kilogram

N/A Not applicable LD50 Lethal dose at 50%

LC50 Lethal concentration at 50%

EC50 Half maximal effective concentration

IC50 Half maximal inhibitory concentration

PBT Persistent bioaccumulative toxic chemical

vPvB Very persistent and very bioaccumulative

EEC European Economic Community

ADR International Transport of Dangerous Goods by Road RID International Transport of Dangerous Goods by Rail

UN United Nations

IMDG International Maritime Dangerous Goods Code
IATA International Air Transport Association

MARPOL International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978
International Bulk Container

RTI Respiratory Tract Irritation

NE Narcotic Effects

IMO International Maritime Organization

Note P: The classification as a carcinogen or mutagen need not apply; the substance

contains less than 0,1 % w/w benzene

Note 10: The classification as a carcinogen by inhalation applies only to mixtures in

powder form containing 1 % or more of titanium dioxide which is in the form of

or incorporated in particles with aerodynamic diameter  $\leq$  10  $\mu m$ .

For further information, please contact: Technical Services Department

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product or where instructions and recommendations are not followed.