### Safety Data Sheet according to Regulation (EC) 'No. 2020/878



**illbruck** Flowcrete, Nullifire Vandex TREMCO Tryvit TNudura

### SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1	Product Identifier	ISOCRETE 8500 PROJECT	Revision Date:	17/03/2023
	Product Name:	Isocrete 8500 Project	Supersedes Date:	07/02/2023
			Version Number:	1
	UFI Code:	YRE2-C045-3005-846D		
	Nanoform:	No		
1.2	Relevant identified uses of the substance or mixture and uses	Manual activities involving hand cont onto article (indoor). For use by appleted appleted by appleted		

#### Details of the supplier of the safety data sheet 1.3

advised against

	Supplier:	Tremco CPG Sweden AB Polhemsolatsen 5
		411 03 Gothenburg Sweden +46 31 57 00 10
	Datasheet Produced by:	EHS Flowcrete Sweden - ehs.sweden@flowcrete.com
1.4	Emergency telephone number:	Tel. 020-996000 (Kemiakuten, Giftinformationscentralen, dygnet runt)

### **SECTION 2: Hazards Identification**

#### 2.1 Classification of the substance or mixture

Classification according to Classification, Labeling & Packaging Regulation (EC) 1272/2008

### HAZARD STATEMENTS

Other EU extensions Serious Eye Damage, category 1 EUH203 H318

industrial grouts, mortars and screeds. Advised against: others than recommended

### 2.2 Label elements

### Symbol(s) of Product



Signal Word Danger

### Named Chemicals on Label

Portland Cement

### HAZARD STATEMENTS

Other EU extensions Serious Eye Damage, category 1 <b>PRECAUTION PHRASES</b>	EUH203 H318	Contains chromium (VI). May produce an allergic reaction. Causes serious eye damage.
	P280	Wear protective gloves/protective clothing/eye protection/ face protection.
	P301+310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
	P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.
2.3 Other hazards No Information		

### Results of PBT and vPvB assessment:

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

# Endocrine disrupting properties - Toxicity Name According to EEC CAS-No.

No Information

### Endocrine disrupting properties - Ecotoxicity

Name According to EEC

CAS-No.

No Information

### SECTION 3: Composition/Information On Ingredients

### 3.1 Substances

Not applicable

### 3.2 Mixtures

### Hazardous ingredients

Name According to EEC EINEC No. CAS-No. REACH Reg No.	<u>%</u>	<u>Classifications</u>		SCL Value: ATE Value: M-Factor:
Portland Cement 266-043-4 65997-15-1	2.5 - <10	H315-318-335	SCL Value: ATE Value:	-
exempt		Eye Dam. 1, Skin Irrit. 2, STOT SE 3 RTI	M-Factor:	-

Additional Information: The text for CLP Hazard Statements shown above (if any) is given in Section 16.

### **SECTION 4: First-aid Measures**

### 4.1 Description of First Aid Measures

**GENERAL NOTES:** When symptoms persist or in all cases of doubt seek medical advice. Show this safety data sheet to the doctor in attendance.

AFTER INHALATION: Remove person to fresh air. If signs/symptoms continue, get medical attention.

AFTER SKIN CONTACT: Use a mild soap if available. Wash off with soap and plenty of water.

AFTER EYE CONTACT: Rinse thoroughly with plenty of water, also under the eyelids. Keep eye wide open while rinsing. Remove contact lenses.

**AFTER INGESTION:** Gently wipe or rinse the inside of the mouth with water. Give small amounts of water to drink. Never give anything by mouth to an unconscious person. If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.

### Self protection of the first aider:

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

### 4.2 Most important symptoms and effects, both acute and delayed

May cause sensitization by skin contact. Irritating to eyes and skin.

### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

### **SECTION 5: Firefighting Measures**

### 5.1 Extinguishing Media:

Carbon Dioxide, Dry Chemical, Foam, Water Fog

FOR SAFETY REASONS NOT TO BE USED: Alcohol, Alcohol based solutions, any other media not listed above.

5.2 Special hazards arising from the substance or mixture No Information

### 5.3 Advice for firefighters

Not combustible. No dangerous ingredients according to Regulation (EC) No. 1907/2006. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### SECTION 6: Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

### 6.1.1 For non-emergency personnel

Avoid dust formation. Use personal protective equipment.

### 6.1.2 For emergency responders

See Section 7, 8 and 10 for further information.

### 6.2 Environmental precautions

No conditions to be specially mentioned.

### 6.3 Methods and material for containment and cleaning up

Pick up and transfer to properly labelled containers. No special environmental precautions required. After cleaning, flush away traces with water. Refer to protective measures listed in sections 7 and 8.

### 6.4 Reference to other sections

**FURTHER INSTRUCTIONS:** Please refer to EU disposal requirements or country specific disposal requirements for this material. See Section 8 and 13 for further information.

### SECTION 7: Handling and Storage

### 7.1 Precautions for safe handling

Wear personal protective equipment. Avoid dust formation. Protect from moisture. Wash hands before breaks and at the end of workday. Do not breathe dust. When using, do not eat, drink or smoke.

### 7.2 Conditions for safe storage, including any incompatibilities

CONDITIONS TO AVOID: Avoid moisture. STORAGE CONDITIONS: Keep tightly closed in a dry and cool place.

### 7.3 Specific end use(s)

The mixing and application to be in accordance with the technical data sheets.

### SECTION 8: Exposure Controls/Personal Protection

### 8.1 Control parameters

# Ingredients with Occupational Exposure Limits (UK WELS)

Name	CAS-No.	LTEL ppm	STEL ppm	STEL mg/m3	LTEL mg/m3
Portland Cement	65997-15-1				10 4
Name	CAS-No. OEL Note				
Portland Cement	65997-15-1				

**FURTHER ADVICE:** Refer to the regulatory exposure limits for the workforce enforced in each country. Some components may not have been classified under the EU CLP Regulation.

### **Chemical Name:**

### EC No.:

CAS-No.:

### DNELs - Derived no effect level

	Workers			Consumers				
Route of	Acute effect	Acute effects	Chronic	Chronic effects	Acute effect	Acute effects	Chronic	Chronic effects
Exposure	local	systemic	effects local	systemic	local	systemic	effects local	systemic
Oral	Not required							
Inhalation								
Dermal								

### PNEC's - Predicted no effect concentration

Environmental protection target	PNEC	
Fresh water		
Fresh water sediments		
Marine water		
Marine sediments		
Food chain		
Microorganisms in sewage treatment		
soil (agricultural)		
Air		

### 8.2 Exposure controls

### **Personal Protection**

**RESPIRATORY PROTECTION:** In case of insufficient ventilation wear suitable respiratory equipment, filter P2. Effective dust mask.

**EYE PROTECTION:** Eye wash bottle with pure water. Safety glasses with side-shields conforming to EN 166. **HAND PROTECTION:** Use chemical resistant gloves (EN 374): Nitrile rubber; thickness >=0,5 mm; breakthrough time >= 480 min. Protective gloves. Long sleeved clothing.

OTHER PROTECTIVE EQUIPMENT: No Information

ENGINEERING CONTROLS: Ensure adequate ventilation, especially in confined areas.

### **SECTION 9: Physical and Chemical Properties**

9.1	Information on basic physical and chemical p Colour:	o <b>roperties</b> Grey
	Physical State	Solid
	Odor	Characteristic
	Odor threshold	Not determined
	рН	са: 11
	Melting point / freezing point (°C)	Not determined
	Boiling point or initial boiling point and boiling range (°C)	N.D N.D.
	Flash Point, (°C)	Not measured
	Evaporation rate	Not determined
	Flammability (solid, gas)	Not determined
	Llower and upper explosive limit	999 - 0
	Vapour Pressure	Not determined
	Relative vapour density	Not determined
	Density and/or relative density	Not measured
	Solubility in / Miscibility with water	Miscible
	Partition coefficient: n-octanol/water	Not determined
	Auto-ignition temperature (°C)	Not determined

Decomposition temperature (°C)

Kinematic viscosity Not determined

Particle characteristics

Not applicable to liquids

### 9.2 Other information

VOC Content g/l:

No Information

Not determined

This is a calculated maximum VOC content for the mixed ready to use product (to Directive 2004/42/EC).

### **SECTION 10: Stability and Reactivity**

### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

### **10.2 Chemical stability** Stable under normal conditions.

- **10.3 Possibility of hazardous reactions** Hazardous polymerisation does not occur.
- **10.4 Conditions to avoid** Avoid moisture.
- **10.5 Incompatible materials** Do not store near acids.
- 10.6 Hazardous decomposition products No hazardous decomposition products are known.

### **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as definied in Regulation (EC) No 1272/2008

Acute Toxicity: Oral LD50: Inhalation LC50: Dermal LD50:	No information available. No information available. No Information
Irritation:	May cause an allergic skin reaction.
Corrosivity:	Causes serious eye damage.
Sensitization:	May cause an allergic skin reaction.
Repeated dose toxicity:	No information available.
Carcinogenicity:	No information available.
Mutagenicity:	No information available.
Toxicity for reproduction:	No information available.
STOT-single exposure:	No information available.
STOT-repeated exposure:	No information available.
Aspiration hazard:	No information available.

## If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

### Additional Information:

This product may contain Quartz (silicon dioxide), which is listed by IARC as a known carcinogen to humans (Group 1). This classification is relevant when exposed to Quartz (silicon dioxide) in dust or powder form only, including cured product that is subject to sanding, grinding, cutting, or other surface preparation activities.

### Social Dialogue on Respirable Crystalline Silica and Good Practices Guide

A multi-sectoral social dialogue agreement on Workers Health Protection through the Good Handling and Use of Crystalline Silica and Products Containing it was signed on 25 April 2006. This autonomous agreement, which receives the European Commission's financial support, is based on a Good Practices Guide. The requirements of the Agreement came into force on 25 October 2006. The Agreement was published in the Official Journal of the European Union (2006/C 279/02). The text of the Agreement and its annexes, including the Good Practices Guide, are available from http://www.nepsi.eu and provide useful information and guidance for the handling of products containing respirable crystalline silica. Literature references are available on request from EUROSIL, the European Association of Industrial Silica Producers.

### Literature References

Prolonged and/or massive exposure to respirable crystalline silica-containing dust may cause silicosis, a nodular pulmonary fibrosis caused by deposition in the lungs of fine respirable particles of crystalline silica.

In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However it pointed out that not all industrial circumstances, nor all crystalline silica types, were to be incriminated. (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.)

In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003).

So there is a body of evidence supporting the fact that increased cancer risk would be limited to people already suffering from silicosis. Worker protection against silicosis should be assured by respecting the existing regulatory occupational exposure limits and implementing additional risk management measures where required.

### 'Health & Safety Executive (specific for UK):

Detailed reviews of the scientific evidence on the health effects of crystalline silica have been published by HSE (Health and Safety Executive, UK) in the Hazard Assessment Documents EH75/4 (2002) and EH75/5 (2003). The HSE points out on its website that "Workers exposed to fine dust containing quartz are at risk of developing a chronic and possibly severely disabling lung disease known as "silicosis". In addition to silicosis, there is now evidence that heavy and prolonged workplace exposure to dust containing crystalline silica can lead to an increased risk of lung cancer. The evidence suggests that an increased risk of lung cancer is likely to occur only in those workers who have developed silicosis.

### 11.2 Information on other hazards

Name According to EEC

CAS-No.

No Information

### **SECTION 12: Ecological Information**

### 12.1 Toxicity:

	EC50 48hr (Daphnia):	No information
	IC50 72hr (Algae):	No information
	LC50 96hr (fish):	No information
12.2	Persistence and degradability:	No information
12.3	Bioaccumulative potential:	No information

12.4	Mobility in soil:	No information	No information			
12.5	Results of PBT and vPvB assessment:	The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII				
12.6	6 Endocrine disrupting properties					
	Endocrine disrupting properties - Ecotoxic	ity				
	Name According to EEC	CAS-No.				
	No Information					
12.7	Other adverse effects:	No information				
<u>CAS-</u>	No. Name According to EEC	<u>EC50 48hr</u>	<u>IC50 72hr</u>	<u>LC50 96hr</u>		
6599	7-15-1 Portland Cement	No information	No information			

### **SECTION 13: Disposal Considerations**

**13.1** WASTE TREATMENT METHODS: If recycling is not practicable, dispose of in compliance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.

European Waste Code:	101311
Packaging Waste Code:	150102

### **SECTION 14: Transport Information**

		ADR/RID	ADN	IMDG	ΙΑΤΑ
14.1	UN-number or ID number	No Information	No Information	No Information	No Information
14.2	UN proper shipping name	Not regulated for transport according to U.S. DOT, ADR/RID, IMDG, and IATA regulations.	Not regulated for transport according to U.S. DOT, ADR/ RID, IMDG, and IATA regulations.	Not regulated for transport according to U.S. DOT, ADR/RID, IMDG, and IATA regulations.	Not regulated for transport according to U.S. DOT, ADR/RID, IMDG, and IATA regulations.
14.3	Transport Hazard Class(es)	No Information	No Information	No Information	No Information
14.4	Packing Group	No Information	No Information	No Information	No Information
14.5	Enviromental Hazards	No Information	No Information	No Information	No Information

14.6	Special precautions for user	Not applicable
	EmS-No.:	Not applicable
147	Maritime transport in bulk according to IMO	Not applicable

14.7 Maritime transport in bulk according to IMO Not applicable intruments

### **SECTION 15: Regulatory Information**

15.1	Safety, health and environmental regulations/le	egislation for the substance or mixture:
	National Regulations:	
	Denmark Dreduct Desistration Number	Neteurileble

Danish MAL Code:00-4Danish MAL Code - Mixture:00-4Sweden Product Registration Number:Not availableNorway Product Registration Number:Not availableGermany WGK Class:Not availableDirective 2004/42/CE :Not availableKot availableNot availableNot availableNot availableDirective 2012/18/EC (Seveso III):Not applicable	Denmark Product Registration Number:	Not available
Sweden Product Registration Number:       Not available         Norway Product Registration Number:       Not available         Germany WGK Class:       Not available         Directive 2004/42/CE :       Not available	Danish MAL Code:	00-4
Norway Product Registration Number:       Not available         Germany WGK Class:       Not available         Directive 2004/42/CE :       Not available	Danish MAL Code - Mixture:	00-4
Germany WGK Class:     Not available       Directive 2004/42/CE :     Not available	Sweden Product Registration Number:	Not available
Directive 2004/42/CE : Not available	Norway Product Registration Number:	Not available
Not applicable	Germany WGK Class:	Not available
Not applicable		
Covered by Directive 2012/18/EC (Seveso III): Not applicable	Directive 2004/42/CE :	Not available
	Covered by Directive 2012/18/EC (Seveso III):	Not applicable

### Restrictions to product or to substances according to Annex XVII, Regulation (CE) 1907/2006: Not a

Not applicable

### Annex XIV, Regulation (CE) 1907/2006 - Authorisation List:

CAS-No. Name According to EEC

Not Applicable

### SVHC - Substances of very high concern (Candidate List - Art. 59 REACH):

### CAS-No. Name According to EEC

Not Applicable

### 15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

### **SECTION 16: Other Information**

### Text for CLP Hazard Statements shown in Section 3 describing each ingredient:

H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.

### Reasons for revision

Composition Information Changed

Substance and/or Product Properties Changed in Section(s):

- 09 Physical and Chemical Properties
- 11 Toxicological Information
- 13 Disposal Information
- 14 Transportation Information
- 15 Regulatory Information

Revision Statement(s) Changed

This Safety Data Sheet (SDS) has been revised to meet the new EU CLP requirements. There have been both formatting and content changes based on the CLP classification (if applicable), please review each section of the SDS for specific changes.

List of References:

This Safety Data Sheet was compiled with data and information from the following sources:

- The Ariel Regulatory Database provided by the 3E Corporation in Copenhagen, Denmark.

- Joint Research Centre in Ispra, Italy.
- Regulation (EC) 1272/2008 with subsequent amendments.
- Regulation (EC) 1272/2006 with subsequent amendments.
- Commission Regulation (EU) 2020/878
- EU Council Decision 2000/532/EC and its Annex entitled "List of Wastes"
- Safety Data Sheet from raw material supplier
- The classification declared in sec. 2.2 is based on the calculation methods set out in Annex I and Annex II of the CLP Reg. 1272/2008 on the composition of the formula.

Acronym & Abbreviation Key:

CLP	Classification, Labeling & Packaging Regulation
EC	European Commission
EU	European Union
US	United States
CAS	Chemical Abstract Service
EINECS	European Inventory of Existing Chemical Substances

DENCU	Devictory Device the Arthur of Charles Is Deviction
REACH	Registration, Evaluation, Authorization of Chemicals Regulation
GHS	Globally Harmonized System of Classification and Labeling of Chemicals
LTEL	Long term exposure limit
STEL	Short term exposure limit
OEL	Occupational exposure limit
ppm	Parts per million
mg/m3	Milligrams per cubic meter
TLV	Threshold Limit Value
ACGIH	American Conference of Governmental Industrial Hygienists
OSHA	Occupational Safety & Health Administration
PEL	Permissible Exposure Limits
VOC	Volatile organic compounds
g/l	Grams per liter
mg/kg	Milligrams per kilogram
N/A	Not applicable
LD50	Lethal dose at 50%
LC50	Lethal concentration at 50%
EC50	Half maximal effective concentration
IC50	Half maximal inhibitory concentration
PBT	Persistent bioaccumulative toxic chemical
vPvB	Very persistent and very bioaccumulative
EEC	European Economic Community
ADR	International Transport of Dangerous Goods by Road
RID	International Transport of Dangerous Goods by Rail
UN	United Nations
IMDG	International Maritime Dangerous Goods Code
IATA	International Air Transport Association
MARPOL	International Convention for the Prevention of Pollution From Ships, 1973 as
	modified by the Protocol of 1978
IBC	International Bulk Container
RTI	Respiratory Tract Irritation
NE	Narcotic Effects
IMO	International Maritime Organization
Note P:	The classification as a carcinogen or mutagen need not apply; the substance
	contains less than 0,1 % w/w benzene
Note 10:	The classification as a carcinogen by inhalation applies only to mixtures in
	powder form containing 1 % or more of titanium dioxide which is in the form of
	or incorporated in particles with aerodynamic diameter $\leq$ 10 µm.

For further information, please contact: Technical Services Department

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product or where instructions and recommendations are not followed.